

**Topics Covered:** 

Setup and Maintenance Basics as an Endpoint Device in VDI Atrust Client Setup Console

## Mobile Thin Client Solution Atrust mt188W

for Windows 10 IoT Enterprise



## USER'S MANUAL

Internal Draft 0.01 Copyright © 2017 Atrust Computer Corp.

## **Copyright and Trademark Statements**

Copyright © 2017 Atrust Computer Corp. All rights reserved.

This document contains proprietary information that is protected by copyright. No part of this document may be photocopied, reproduced, or translated to another language without the prior written consent of Atrust Computer Corp.

#### Disclaimer

Atrust Computer Corp. ("Atrust") makes no representations or warranties with respect to the contents or use of this document, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Atrust is not liable for technical or editorial errors or omissions contained herein. The information in this document is subject to change without notice.

#### **Trademark Statements**

Atrust is a trademark of Atrust Computer Corp.

Intel is a registered trademark of Intel Corporation or its subsidiaries in the United States and other countries.

Microsoft, Windows, Windows Server, RemoteFX, and MultiPoint are trademarks or registered trademarks of the Microsoft group of companies.

Citrix, ICA, XenApp, XenDesktop, and VDI-in-a-Box are trademarks of Citrix Systems, Inc. and/or one or more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries.

VMware, VMware View, and VMware Horizon View are trademarks or registered trademarks of the VMware, Inc.

PCoIP is a registered trademark of Teradici Corporation in the United States and/or other countries.

Other product names mentioned herein are used for identification purposes only and may be trademarks and/or registered trademarks of their respective companies.

## **About This User's Manual**

This manual provides detailed instructions on how to set up, use, and maintain Atrust mt188W mobile thin clients.

#### **Manual Structure and Subjects**

Chapter	Subject
1	Provides an overview of Atrust mt188W mobile thin clients.
2	Provides detailed instructions on how to set up Atrust mt188W mobile thin clients.
3	Provides the basics of how to use Atrust mt188W mobile thin clients.
4	Provides instructions on how to configure client settings and customize Atrust mt188W mobile thin clients with the Atrust Client Setup console.
Appendices	Provides supplementary instructions on the maintenance and upgrade of Atrust mt188W mobile thin clients.
Specifications	Provides detailed information on key components of Atrust mt188W mobile thin clients.

#### Notes, Tips, and Warnings

Throughout this manual, the notes, tips, and warnings in the following formats are used to provide important information, useful advice, and prevent injuries to you, damage to your devices, or loss of data on your system.

• A note provides important information for a specific situation.



• A tip gives a piece of useful advice to perform a task more efficiently.



#### WARNING

• A warning provides crucial information that must be followed to prevent injuries to you, damage to your devices, or loss of data on your system.

## **Style Conventions**

The following styles are used throughout this manual while referring to operational items on input devices, hardware panels, or application interfaces.

Item	Style	Example
keys on the keyboard	bold	Ctrl + Alt + Pause, Ctrl + Alt, Alt + Tab
application windows or entry lists	first letter capitalized	ICA Connection list, RDP Connection list, View Connection list
buttons or tabs on a window, toolbars, taskbar, or menu	bold	OK, Next, Save, Applications tab
options on a window, screen, list, or menu	bold	Start the following program on connection, Remote Desktop Services, Better Appearance (32-bit), Web Logon
selecting a series of options	bold	Applications > Citrix ICA, Applications > Remote Desktop, Applications > VMware View, System > UWF

## **Safety and Regulatory Information**

#### **Regulatory Statement**

#### Federal Communications Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**FCC Caution:** Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

#### **IMPORTANT NOTE:**

#### FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20 cm between the radiator & your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

#### **Regulatory Information**

#### WEEE (Waste Electrical and Electronic Equipment) Directive



In the European Union, this symbol indicates that this product should not be disposed of with household waste. It should be deposited at an appropriate facility to enable recovery and recycling. For proper disposal, please contact your local recycling or hazardous waste center.

#### **Safety Information**

WARNINGUse only power supplies listed in the user instructions.

WARNING

• Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type recommended by the manufacturer.

#### WARNING

- For safety, do not make mechanical or electrical modifications to the equipment.
- Do not remove equipment covers and access any of the components inside the equipment. Any access inside the equipment without an authorized or certified technician may cause serious injuries and damage. For any problem, contact your dealer for assistance.
- You should only make repairs as authorized by the product documentation. Repairs, replacement, expansion, and upgrades not performed by a certified service technician may cause injuries to you, damage your system, and void your warranty.

vi

## **Table of Contents**

#### **Copyright and Trademark Statements**

Disclaimer i Trademark Statements i

#### **About This User's Manual** ii

Manual Structure and Subjects ii Notes, Tips, and Warnings ii Style Conventions iii

#### Safety and Regulatory Information iv

**Regulatory Statement** iv Regulatory Information v Safety Information v

#### 1 Overview 1

- 1.1 Introduction 3
- 1.2 **Features** 3
- 1.3 **Package Contents** 3
- 1.4 **Exterior Components** 4
- 1.5 **Before Getting Started** 9
- Service Access with your mt188W 1.6 10

#### 2 Getting Started 11

- 2.1 **Standard Shortcuts** 13
- 2.2 **Accessing Citrix Services** 14
- 2.3 **Accessing Microsoft Remote Desktop Services** 20
- 2.4 **Accessing VMware View and Horizon View Services** 22

i

#### 3 Configuring Client Settings 25

#### 3.1 **Atrust Client Setup** 27

- 3.1.1 Interface Overview 27
- 3.1.2 Client Settings at a Glance 28

#### 3.2 29 **Configuring System Settings**

- 3.2.1 System Tab Overview 29
  - 3.2.2 Available Settings at a Glance 30
  - Securing the Access to Atrust Client Setup 3.2.3 31
  - 3.2.4 Configuring Shadow Settings for Remote Assistance 32
  - 3.2.5 Updating Firmware from the Management Computer 34
  - Taking Snapshots for Mass Deployment or System Recovery 3.2.6 37
  - 3.2.7 Deploying Systems with a Created Snapshot
  - 3.2.8 Restoring Systems with a Created Snapshot 40
  - 3.2.9 Enabling or Disabling the Appliance Mode 43 47
  - 3.2.10 Configuring UWF (Unified Write Filter)
- 3.2.11 Enabling or Disabling Auto Registration

#### 3.3 50 **Configuring External Device Settings**

- 3.3.1 Devices Tab Overview 50
- 3.3.2 Available Settings at a Glance 50

49

- 36

3.3.3 Configuring Settings for USB Storage Devices 51 3.3.4 Disabling or Enabling Attached Audio Devices 52 3.4 Configuring User Interface Settings 53 3.4.1 User Interface Tab Overview 53 3.4.2 Available Settings at a Glance 53 3.4.3 Configuring the Display of Standard Desktop Shortcuts for Quick Access 3.5 **Configuring Service Access Settings** 55 3.5.1 Applications Tab Overview 55 3.5.2 Available Settings at a Glance 56 3.5.3 Configuring Basic RDP Connection Settings 57 3.5.4 Accessing Remote Desktop Services 64 3.5.5 Configuring Advanced RDP Connection Settings 69 3.5.6 Configuring Basic ICA Connection Settings 82 3.5.7 Accessing Citrix Services 90 3.5.8 Configuring Advanced ICA Connection Settings 94 Configuring Basic VMware View Connection Settings 3.5.9 105 3.5.10 Accessing VMware View or Horizon View Services 107 3.5.11 **Configuring Advanced View Connection Settings** 109 3.5.12 Configuring Web Browser Settings 111

54

## Appendices 115

<b>A.</b> 1	Resetting Your mt188W	117	

A.2 Updating Firmware for Your mt188W 118

## Specifications 121

1

## Overview

This chapter provides an overview of Atrust mt188W.

1.1 Introduction	
Desktop virtualization and simple endpoint devices	3
1.2 Features	
Key features of Atrust mt188W	3
1.3 Package Contents	
Check your package contents	3
1.4 Exterior Components	
Exterior components of Atrust mt188W	4
1.5 Before Getting Started	
About the Battery Sleep Mode About UWF (Unified Write Filter)	9 9
About the default user accounts	10
About the behavior of the system startup	10
1.6 Service Access with your mt188W	
Standard and customized desktop shortcuts	10

## 1.1 Introduction

Desktop virtualization provides a new perspective to reconsider the design and implementation of an IT infrastructure. In a desktop virtualization infrastructure, a station is no longer a cumbersome desktop, but simply an endpoint device for users to access delivery services from the server(s).

With the introduction of the desktop virtualization technologies, you can considerably benefit from:

- On-demand applications/desktops
- · Centralized management of work environments
- Drastically reduced endpoint software/hardware issues
- Simplified system maintenance and improved system security
- More scalability with low-cost endpoint devices


## **1.2 Features**

The key features of Atrust mt188W mobile thin clients are:

- Built-in Wireless 802.11 ac/a/b/g/n, Bluetooth 4.2, and Ethernet network interface
- Support for a wide range of desktop virtualization solutions from industry-leading companies:
  - ▹ Microsoft<sup>®</sup> Remote Desktop
  - o Citrix<sup>®</sup> XenApp<sup>™</sup>, XenDesktop<sup>®</sup>, and VDI-in-a-Box<sup>™</sup>
  - VMware<sup>®</sup> View<sup>™</sup> and Horizon View<sup>™</sup>
- Support for high-definition technologies
  - ▷ Microsoft<sup>®</sup> RemoteFX<sup>®</sup>
  - ⊳ Citrix<sup>®</sup> HDX<sup>™</sup>
  - ▷ VMware<sup>®</sup> View<sup>™</sup> PCoIP<sup>®</sup>
- Simple click-access to various applications/desktops
- Built-in Atrust Client Setup as the local client management console

## 1.3 Package Contents


Please check your package contents. Ensure that all of the items are present in your package. If any items are missing or damaged, please contact your dealer immediately.



**NOTE:** Your package may not contain a hard copy of the Quick Start Guide. In this case, a soft copy in PDF format will be provided.

## **1.4 Exterior Components**

**Display and Base Components** 




No.	Sign	Component	Description
1		LCD display	Built-in display for visual output.
2		Microphone	Built-in microphone for audio input.
3		Webcam ( <i>optional</i> )	Built-in video camera for real-time video.
4		Keyboard	Built-in keyboard for control and input.
5		Touchpad	Built-in pointing device for control and input.
6		Power LED	<ul><li>Glows yellow when the system is on.</li><li>Goes off when the system is off.</li><li>Glows red when the system is in Sleep mode.</li></ul>


## **Fn Key Combinations**

With the combination of **Fn** plus another specific key (with one printed blue symbol on it), you can quickly adjust hardware settings to suit your needs.

• To use an Fn key combination, press and hold **Fn**, and then press another key.


Combination	Description	Combination	Description
	Use to switch the use of displays.		Use to increase the brightness of the LCD display.
	Use to enable / disable the touchpad.		Use to decrease the brightness of the LCD display.
	Use to launch the defined application. <b>NOTE:</b> This may not be applicable.		Use to decrease the volume of the built-in speakers.
	Use to enable / disable the ECO mode. ECO Mode: Screen Off mode		Use to increase the volume of the built-in speakers.
	Use to enable / disable the Webcam.		Use to mute / unmute the sound.
	Use to enable / disable the Airplane mode. <b>Airplane Mode:</b> disabled networks of all types		Use to function as a Home key.
	Use to enter the System Sleep mode. Press the Power button or any key to exit.		Use to function as an End key.






No.	Sign	Component	Description
7	C	Sleep mode LED	Glows orange when in Sleep mode.
8	0	Storage LED	Blinks blue when flash memory is being accessed.
9	1	Num Lock LED	Glows blue when Num Lock is enabled.
10	A	Caps Lock LED	Glows blue when Caps Lock is enabled.
11	*	Bluetooth LED	Glows blue when Bluetooth is enabled.
12	N.	Wireless LED	Glows blue when Airplane mode is enabled. Airplane mode: disabled networks of all types
13	[1 +]	Battery LED	<ul><li>Glows orange when the battery is being charged.</li><li>Glows blue when the battery is fully charged.</li><li>Blinks orange when the battery power is low.</li></ul>


## Left and Right Side Components





No.	Sign	Component	Description
14	-=-=-	Kensington security slot	Connects a Kensington cable to secure the mobile thin client.
15	<u></u> _	LAN port	Connects to a network.
16	SS←⇒	USB port (USB 3.0)	Connects to a USB device.
17		Headphone port	Connects to a set of headphones or a speaker system.
18	ļ	Microphone port	Connects to a microphone.
19		DC IN	Connects to an AC adapter.
20		mini DisplayPort	Connects to a monitor.
21	нәті	HDMI port	Connects to a high quality digital audiovisual device.
22		USB Type-C	Connects to a USB Type-C device.
23		USB port (USB 2.0)	Connects to a USB device.
24	Ċ	Power button	<ul><li>Press to power on your mt188W when the lid is opened.</li><li>Press to enter Sleep mode when your mt188W is on.</li></ul>

**Bottom Components** 



No.	Sign	Component	Description
25		Speaker	Built-in speakers for audio output.
26		Battery Off hole	Used to press the button inside to enter the Battery Sleep mode. Please see "About the Battery Sleep Mode" on page 9 for details.

## 1.5 Before Getting Started

#### **About the Battery Sleep Mode**

For first time use, you must connect your mt188W to a power outlet using the supplied AC adapter for the built-in battery to exit the Sleep mode.

To enter the Battery Sleep mode when needed, please do the following:

- 1. Shut down and unplug your mt188W.
- 2. Use the tip of an unfolded paper clip (or a similar object without a sharp tip) to gently press the button inside the Battery Off hole.



• Please note that, to exit the Battery Sleep mode and power on your mt188W, you will need to plug it in first using the supplied AC adapter.

#### About UWF (Unified Write Filter)

Before getting started on client configuration through the Atrust Client Setup console or through the Windows 10 IoT Enterprise operating system, please note that in a session any changes to the system will not be kept by default after the system restart. This is due to a special feature called UWF (Unified Write Filter) in your Windows Embedded-based system.

By default, your mt188W is UWF-enabled. Unified Write Filter (UWF) is a sector-based write filter intercepting all write attempts to a protected volume and redirecting those write attempts to a virtual overlay. With UWF, all system changes will only affect the session where the changes are made. After restart, all changes will be discarded.

You can change the default via the Atrust Client Setup console. It's strongly recommended that you read the related section in this user's manual first before making any changes to your system.



#### WARNING

• Please read the following section **FIRST** before making any changes to your system: "3.2.10 Configuring UWF (Unified Write Filter)" on page 47.



- As a thin client device, your mt188W is mainly for access to remote or virtual desktops on servers. With the limited and protected (UWF-enabled) hard disk space, it's **not** recommended to save data on your mt188W. Instead, you can use storage spaces over remote / virtual desktops, removable storage devices, or networks.
- In case that you need to copy a file to the protected volume, ensure that its size is smaller than the free memory (overlay) space. Otherwise, your system may have unexpected results or become unresponsive.

#### **About Default User Accounts**

There are two default user accounts for your Windows 10 IoT Enterprise-based system: one is the standard, the other administrative. The default credentials are shown as follows:

Туре	Account Name	Password
Administrator	Administrator	Atrustadmin
Standard user	User	Atrustuser

## About the Behavior of System Startup

Every time when the system is started up, it will automatically log in to the Windows 10 IoT Enterprise operating system using the default standard user account as indicated in the preceding table about default user accounts.

## 1.6 Service Access with your mt188W

With Atrust mt188W, you can simply access desktop virtualization solutions from Microsoft, Citrix, and VMware, by mouse-clicking. Two types of access shortcuts are available: *standard* and *customized*. The former is available on the desktop of Windows 10 IoT Enterprise by default; the latter can be created and customized through the Atrust Client Setup console.

#### **Standard Desktop Shortcuts**

You can find the instructions on how to use standard desktop shortcuts to access on-demand applications or desktops in chapter 2 "Getting Started" on page 11 or in the Quick Start Guide for mt188W.



#### **Customized Desktop Shortcuts**

You can find the instructions on how to create and customize access shortcuts in chapter 3 "Configuring Client Settings" on page 25.

# 2

## **Getting Started**

This chapter provides the basics of how to use your mt188W.

2.1 Standard Shortcuts	
Default shortcuts on the local (Windows 10 IoT Enterprise) desktop	13
2.2 Accessing Citrix Services	
How to access Citrix services	14
2.3 Accessing Microsoft Remote Desktop Services	
How to access Microsoft Remote Desktop services	20
2.4 Accessing VMware View and Horizon View Services	
How to access VMware View and Horizon View services	22

## 2.1 Standard Shortcuts



You can access virtual desktop or application services simply through standard shortcuts available on the desktop.

No.	Shortcuts	Description	See
1	Citrix Receiver	<ul> <li>Double click to access Citrix services.</li> <li><b>NOTE:</b> If the secure network connection is not implemented in your Citrix environment, you might not be able to access Citrix services through Citrix Receiver of this new version. Alternatively, Citrix allows service access simply through a Web browser. Try to use the built-in Internet Explorer if you have problems with Citrix Receiver (refer to instructions in this chapter).</li> </ul>	2.2
2	Remote Desktop Connection	Double click to access Microsoft Remote Desktop services.	2.3
3	VMware Horizon View Client	Double click to access VMware View and VMware Horizon View services.	2.4

## 2.2 Accessing Citrix Services

#### Accessing Citrix Service with Internet Explorer

To quickly access Citrix services with the Internet Explorer, please do the following:

- 1. Open the Internet Explorer by clicking its icon on Start.
- 2. Enter the IP address / URL / FQDN of the server through which Citrix services are accessible.

NOTE
<ul> <li>For XenDesktop 7.0 or the later, consult your IT administrator for the appropriate IP address / URL / FQDN.</li> </ul>

3. Follow the on-line instructions to provide the required data and access Citrix services.

ر الله http://xs75p.ctc.poc/Citrix/StoreWeb/	Q - C	Citrix Receiver	×		- 日 × 命会感 (19)
Citrix <b>Receive</b>	'n		User name: Password:	domain/user or user@domain.com	

#### **Logon Screen Example** XenDesktop / XenApp 7.5 Platinum

#### Virtual Desktop Example

Windows 7 Ultimate (launched in mt188W)



Virtual Application Examples LINE, Firefox, Calculator, and Adobe Reader (launched in mt188W)

Receiver	r address			C	Q, Search	☆	自 🕂 1	0 0	Galculator	- I X
- × LINE				5	Ò			mozi	MC         MR         MS         M+           ←         CE         C         ±           7         8         9         /           4         5         6         *	
Login QR Code Login mail Address 2	C	Search				÷	File Ed Hor	be Acrobat Reade It View Window ne Tools		Sign Ir
Login Log me in automatically Run LINE when Windows starts.		Eyeb minu	all experts sugge tes. Time to get	st you look awa outside and fee	ly from your scree al the breeze.	n every 20				
Sign Up NE User Login	Bookmarks	History	Add-ons	Sync	Options	Rest	ore Pi	Export PDF Open 💌	Create PDF Open 👻	
Forgotten your password?				Apps	Desktops					

## Accessing Citrix Service through the Citrix Receiver Shortcut

To access Citrix services through the Citrix Receiver shortcut, please do the following:

- 1. Import the required safety certificate for available Citrix services with an administrator account. *Consult your IT administrator for necessary assistance*.
  - a. On the desktop, click  $\checkmark$  in the bottom-left corner.



b. Enter mmc on the opened window, and then press Enter.



c. On the Console window, click the File menu to select Add/Remove Snap-in.

Console1 - [Console Root]	-	□ ×
File Action View Favorites Window	Help	- 8 ×
New Ctrl+N		
Open Ctrl+O Save Ctrl+S	File Action View Favorites W	
Save Ctri+S	Console Root	-
Add/Remove Snap-in Ctrl+M	New Ct More Actions	•
Options	• Open Ct	
1 gpedit.msc		
Exit	Save C	
	Save As	
	Add/Remove Snap-in Ct	
	Ontions	
Enables you to add snap-ins to or remove them fro	n the snap-in console.	

d. On the opened window, click **Certificates** > **Add** > **Computer account** > **Local computer** > **OK** to add the Certificates snap-in.

endor crosoft Cor	^		Console Root		Edit Extensions
rrosoft Cor					
a osone con					Remove
crosoft Cor					Remove
crosoft Cor					
crosoft Cor					Move Up
crosoft Cor					Maria Davia
crosoft Cor		Add			Move Down
crosoft and		Aud >			
crosoft Cor					
crosoft Cor					
crosoft Cor					
crosoft Cor					
crosoft Cor					
crosoft Cor	~				Advanced
	rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor	rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor	rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor	rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor	rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor rosoft Cor

e. On the Console window, click to expand the group tree of Certificates, right-click on **Trusted Root Certification Authorities**, and then select **All Tasks** > **Import** on the popup menu.

🖀 Console1 - [Console Root\Certificates (L	ocal			– 🗆 X
File Action View Favorites Wir-	Object Type			- & ×
<ul> <li>Console Root</li> <li>Certificates (Local Comp</li> <li>Personal</li> </ul>	Certificates			Actions Trusted Root Certification Aut
Trusted Root Cert/jrities     Enterprise Trust     Intermediate Cr     Trusted Publis' horities	Find Certificates			More Actions
> Contrusted Cer > Contrusted Cer > Contrusted Party R	All Tasks	>	Find Certificates	
<ul> <li>Trusted Peop</li> <li>Client Authe</li> <li>Preview Builn Author</li> <li>Smart Card 1</li> <li>Trusted Devic</li> <li>Web Hosting</li> <li>Windows Live</li> </ul>	View New Window from Here New Taskpad View Refresh Export List Help	>	Import	
Add a certificate to a store				1

f. Follow the Certificate Import Wizard to import your certificate, and then close the Console window when it's done.

÷	🔗 Certificate Import Wizard	×
	Welcome to the Certificate Import Wizard	
	This wizard helps you copy certificates, certificate trust lists, and certificate revocation lists from your disk to a certificate store.	
	A certificate, which is issued by a certification authority, is a confirmation of your identity and contains information used to protect data or to establish secure network connections. A certificate store is the system area where certificates are kept.	
	Store Location	
	Current User I oral Machine	
	Clocal Machine	
	To continue, dick Next.	
		_
	Next Canc	el
		_

- 2. Double click **Citrix Receiver** on the desktop.
- 3. A window appears prompting for the work email or server address. Consult your IT administrator for proper information to provide here, enter the required data, and then click **Add** to continue.

Oitrix Receive	er	×
Ad	d Account	
	r your work email or server address provided our IT department:	
I		
	Add Close	e

4. Select the desired store account if more than one store is available, type credentials in the opened window, and then click **Log On**.

Oitrix	Receiver		×	1	
	Add Accor				
	Account	Description			
	CTX Store Service		Citrix Receiver		×
			User name: Password:	domain\user or user@domain.com	
			Select	Log On Cancel	
			Secure c	onnection	

5. A window appears allowing you to add favorite apps (virtual desktops and applications) for the provided credentials. Click to select the desired application(s). The selected application(s) will appear on that window.




6. Now you can click to launch the desired application. The virtual desktop or application will be displayed on the screen.

## 2.3 Accessing Microsoft Remote Desktop Services

To quickly access Remote Desktop services, please do the following:

- 1. Double click **Remote Desktop Connection** so the desktop.
- 2. Enter the name or IP address of the remote computer on the opened window, and then click **Connect**.



3. Enter your credentials, and then click **OK**.

Windows Security						
Enter your credentials						
These credentials will be used to connect to 192.168.0.116.						
User name						
Password						
Domain:						
Remember me						
ОК	Cancel					

4. A window may appear with a certificate message about the remote computer. Consult your IT administrator for details and ensure the connection is secure *first*. To bypass, click **Yes** to continue.


Nemote Desktop Connection X
The identity of the remote computer cannot be verified. Do you want to connect anyway?
The remote computer could not be authenticated due to problems with its security certificate. It may be unsafe to proceed.
Name in the certificate from the remote computer: vADM
Certificate errors The following errors were encountered while validating the remote computer's certificate: The certificate is not from a trusted certifying authority.
Do you want to connect despite these certificate errors?
<u>V</u> iew certificate <u>Y</u> es <u>N</u> o

5. The remote desktop will be displayed on the screen (in full-screen by default).


## 2.4 Accessing VMware View and Horizon View Services

To quickly access VMware View or Horizon View services, please do the following:


- 1. Double click **VMware Horizon View Client** 🔛 on the desktop.
- 2. A window appears allowing you to add the name or IP address of the View Connection Server.
- 3. Double-click Add Server icon or click New Server in the top-left corner.



4. A window appears prompting for the name or IP address of the View Connection Server. Enter the required information, and then click **Connect**.



5. A window may appear with a certificate message about the remote server. Consult your IT administrator for details and ensure the connection is secure *first*. To bypass, click **Continue**.



- 6. A window may appear with a Welcome message. Click **OK** to continue.
- 7. Provide your user name and password on the opened window, and then click Login.

<b>vm</b> wa <b>r</b> e Hor	12011			
Server:	https://vV	CS.VHV.poc		
User name:				
Password:	8			
Domain:	VHV		~	

8. A window appears with available desktops or applications for your credentials. Double-click to select the desired desktop or application.

VMware Horizon Clier	t			- 0	×
🖋 📸 vVCS.VHV.poc				🔶 🙀 😧	-
W7U	WS08R2	Acrobat Reader DC	Calculator	Mozilla Firefox	
Notepad	Paint	Snipping Tool	Windows Media Player		

9. The desktop or application will be displayed on the screen.

# 3

## **Configuring Client Settings**

This chapter provides instructions on how to configure advanced settings and customize your mt188W with Atrust Client Setup.

3.1 Atrust Client Setup	
Interface overview	27
Available settings at a glance	28
3.2 Configuring System Settings	
System tab overview	29
Available settings at a glance	30
3.3 Configuring External Device Settings	
Devices tab overview	50
Available settings at a glance	50
3.4 Configuring User Interface Settings	
User Interface tab overview	53
Available settings at a glance	53
3.5 Configuring Service Access Settings	
Applications tab overview	55
Available settings at a glance	56

# 3.1 Atrust Client Setup

### 3.1.1 Interface Overview

To access Atrust Client Setup on your mt188W thin client, please do the following:

- 1. Log in to your mt188W with an administrator account (see page 9 for the default).
- 2. Click Atrust Client Setup on the Start screen.
- 3. The Atrust Client Setup window appears.

#### 4 3 2 1 🧶 Atrust Client Setup $\times$ \_ . : : ÷ Atrust Applications User Interface Devices System Navigator Applications Remote Desktop .....6 **5**····· Remote Desktop Available Sessions: 0 Configure RDP (Remote Desktop Protocol) connection settings • • Citrix ICA VMware View Web Browser Citrix ICA Available Sessions: 0 Configure Citrix ICA connection settings VMware View Available Sessions: 0 Configure VMware View connection settings Web Browser Available Sessions: 0 Configure local browser settings

Interface Elements				
No.	Name	Description		
1	System tab	Click to configure settings for the operation and maintenance of the client.		
2	Devices tab	Click to configure settings for external devices of the client.		
3	User Interface tab	Click to configure the user interface of the client.		
4	Applications tab	Click to configure settings for service access through the client.		
5	Navigation area	Click to select a setting item under a selected tab or to select a setting entry under a selected setting item.		
6	Configuration area	Configures setting values when a setting item or entry is selected.		

### **Interface Overview**

### 3.1.2 Client Settings at a Glance

The following table provides a brief description of each setting item under four main setting categories.

Tab	Setting Item	Section	Page
System	<ul> <li>Configuring passwords</li> <li>Configuring remote assistance settings</li> <li>Updating firmware</li> <li>Taking snapshots</li> <li>Enabling/Disabling the Appliance mode</li> <li>Configuring UWF (Unified Write Filter) settings</li> <li>Configuring Auto Registration</li> </ul>	3.2 Configuring System Settings	29
Devices	<ul><li>Configuring settings for USB storage devices</li><li>Configuring settings for audio devices</li></ul>	3.3 Configuring External Device Settings	50
User Interface	<ul><li>Configuring the display of service access shortcuts</li><li>Configuring the Num Lock mode</li></ul>	3.4 Configuring User Interface Settings	53
Applications	<ul> <li>Configuring Microsoft RDP connection settings</li> <li>Configuring Citrix ICA connection settings</li> <li>Configuring VMware View connection settings</li> <li>Configuring Web browser session settings</li> </ul>	3.5 Configuring Service Access Settings	55



### NOTE

• The table above is only applicable to Atrust mt188W thin clients running Windows 10 IoT Enterprise. The available setting categories and items of the Atrust Client Setup console for other Windows 10 IoT Enterprise-based, Windows Embeddedbased, Linux-based, and ARM Linux-based thin clients might be different.

# 3.2 Configuring System Settings

### 3.2.1 System Tab Overview

**System** tab enables you to configure settings for the operation and maintenance of clients. To access available settings of **System** tab, click the tab on Atrust Client Setup.

### System Tab Overview

	Q. Atrust Client Setup	- 0	×
	Atrust	Applications User Interface Devices System	
1	Navigator > Password > Firmware Update > Snapshot > Appliance Mode > UWF > Advanced	System         Password         Configure passwords for Atrust Client Setup and remote assistance         Pirmware Update         Update firmware for this client         Password         Back up the current system state         Popliance Mode         Configure Unified Write Filter to protect your disk drives from unwanted changes         Popliance downced settings	

Interface Elements		
No.	Name	Description
1	Navigation area	Click to select a setting item under <b>System</b> tab.
2	Configuration area	Configures setting values when a setting item is selected.

### 3.2.2 Available Settings at a Glance

Tab	Setting	Icon	Description	Section	Page
	Password		Click to secure the access to Atrust Client Setup.	3.2.3	31
			Click to configure settings for remote assistance.	3.2.4	32
	Firmware Update	<b>(()</b>	Click to update firmware locally with the help of a remote management computer. This feature is only applicable when the client is managed by the Atrust Device Manager console.	3.2.5	34
	Snapshot	Ō	Click to take a snapshot (system image) of the client for mass deployment or system recovery.	3.2.6 3.2.7 3.2.8	36 37 40
System	Appliance Mode	3	Click to enable/disable the Appliance mode to allow/ disallow the automatic RDP / ICA / View sessions. In Appliance mode, the client starts up with the desired RDP / ICA / View session and performs the configured action after exiting the session.	3.2.9	43
	UWF		Click to configure UWF (Unified Write Filter) settings. Enabling UWF option will redirect all writes targeted for disk volumes to a RAM cache. All system changes will only affect the session where the changes are made.	3.2.10	47
	Advanced	Х	Click to configure advanced settings such as Auto Registration.	3.2.11	49



### **ΝΟΤΕ**

• Atrust Device Manager is a remote and mass client management console, helping you remotely mange a large number of endpoint devices in a desktop virtualization infrastructure. For more information about Atrust Device Manager, please refer to the User's Manual for Atrust Device Manager.

### 3.2.3 Securing the Access to Atrust Client Setup

You can password protect the access to Atrust Client Setup by the **Password** setting.

To secure the access to Atrust Client Setup, please do the following:

NO	TE
•	System administrators (and only administrators) are allowed to access Atrust Client
	Setup. If you don't secure the access to Atrust Client Setup, administrator privileges
	are sufficient to access Atrust Client Setup. If a password is set here, administrators
	will need that password to enter Atrust Client Setup.

1. On Atrust Client Setup, click **System** > **Password**.

Atrust Client Setup		_2	×
Atrust	Applications User Interface Devices System		 
Navigator Password Firmware Update Snapshot UWF Advanced	General Security Require a password to access Atrust Client Setup Shadow Cancel Save Cancel		

- 2. Under the Security section, click to check **Require a password to access Atrust Client Setup**.
- 3. A window appears prompting you to set the password.

Set Password	
Password: Confirm Password: * Your password can contain letters, numbers, and special characters. * It must be 4 to 20 characters long. Save Cancel	*

- 4. Type in the desired password, and then click **Save** to confirm.
- 5. Click **Save** to store all the changes.

### 3.2.4 Configuring Shadow Settings for Remote Assistance

The Shadow feature allows an administrator to remotely assist client users in resolving problems or configuring local settings. When this feature is enabled, an administrator can monitor and control a client from a remote computer just like a local user.

NOTE	
<ul> <li>To use the Shadow feature on a remote computer, y Device Manager and also Java software on the rem client into a managed group under Atrust Device N please refer to the User's Manual for Atrust Device N</li> </ul>	ote computer, and add your Ianager. For detailed instructions,

To enable the Shadow feature and set the password for remote assistance, please do the following:

1. On Atrust Client Setup, click **System** > **Password**.

- 2. Under the Shadow section, click **Enable Shadow**.
- 3. The Shadow feature is enabled and a window appears for you to set the password for remote assistance.

Active Shadow Authorization	
Password: Confirm Password:	*
* Your password can contain letters, numbers, and special characters.	
* It must be 1 to 8 characters long.	
Save Cancel	



- On a remote computer, an administrator will need this password to use the Shadow feature (remote assistance) available in the Atrust Device Manager console. For more information, please refer to the User's Manual for Atrust Device Manager.
- 4. Type in the desired password, and then click **Save** to confirm.
- 5. Click **Save** to store all the changes.



• When the Shadow feature is enabled, on mt188W, the icon will appear in the Notification area of the Task bar. If this feature is currently being performed from a remote computer, the icon will change its color to yellow.

### 3.2.5 Updating Firmware from the Management Computer

**Update Firmware** allows users to update client firmware from the remote management computer to get the client device up-to-date.

NOTE					
<ul> <li>Ensure that your client has been added into a managed group under Atrust Device Manager installed on a remote computer, and that you have imported client firmware files into Atrust Device Manager. These are prerequisites of this feature.</li> </ul>					
<ul> <li>For more information on firmware update and Atrust Device Manager, please refer to the User's Manual for Atrust Device Manager.</li> </ul>					

To update client firmware from the remote management computer, please do the following:

1. On Atrust Client Setup, click **System** > **Firmware Update**.

Atrust Client Setup		-		×
Δtrust	Applications User Interface Devices System			
Navigator Password Firmware Update Snapshot Appliance Mode UWF Advanced	General Firmware Update Current Version: Windows 10 IoT Enterprise LTSB 1.31-INTL (X64) (mt188W) Firmware Type: * WARRING! This will remove all data you have placed on this machine. * This setting will take effect after reboot. Cancel	Check Fi	mware	

- 2. Under the Firmware Update section, click the Firmware Type drop-down menu to select **Firmware**, and then click **Check Firmware**.
- 3. On completion, a window appears notifying you that the Firmware list has been loaded. Click **OK** to continue.

NOTE
• The available firmware versions depend on how many versions have been imported into the remote Atrust Device Manager.

4. Click drop-down menus to select the desired firmware version and other options.

Atrust Client Setup		- 0	×
Atrust	Applications User Interface Devices System		
Navigator Password Firmware Update Appliance Mode UWF Advanced	General         Firmware Update         Current Version: Windows 10 IoT Enterprise LTSB 1.31-II         Firmware Type:         Firmware Version:         Language:         Reboot immediately:         Keep ACS configuration:         * WARNING! This will remove all data you have placed of the setting will take effect after reboot.         Update firmware       Cancel	Firmware       WIN10IOTENT LTSB 1.32-INTL (x64)       Dutch       NO       YES       Check Firmware	

Firmware Update Options				
Item	Description			
	Click to sel	ect the desired firmware type.		
	Туре	Description		
	ALL	All firmware types, Firmware and Snapshot.		
Firmware Type	Firmware	The system image of a client.		
	Snapshot	The system image of a client coming from another client of the same model.		
	NOTE: Opt	ions may not be available for the firmware version of your model.		
Firmware Version	Click to select the desired firmware version from the Firmware list.			
Language	Click to select the interface language of the system, including the Atrust Client Setup console.			
	<b>NOTE:</b> Available languages may vary with the firmware version.			
Reboot immediately	Click to choose whether to restart the system immediately for firmware update or manually restart the system later.			
	Click to choose whether to keep client settings under Atrust Client Setup.			
Keep ACS configuration	<ul> <li>NOTE: If Yes is selected, all client settings under Atrust Client Setup will remain unchanged after firmware update.</li> <li>If No is selected, all settings will be restored to the factory default.</li> </ul>			
	sele	ne client is managed by Atrust Device Manager and here <b>No</b> is ected, Atrust Device Manager will fail to manage the client after ware update. For more information on Atrust Device Manager, please er to the User's Manual for Atrust Device Manager.		

5. Click **Update firmware** to confirm your selections. The system will start updating its firmware after restart.

### 3.2.6 Taking Snapshots for Mass Deployment or System Recovery

A snapshot is the system image of a client, allowing you to use that image for mass deployment or system recovery. This image can be stored on a remote management computer or a locally attached USB flash drive.

NOTE
<ul> <li>To store the system image on a remote computer, ensure that Atrust Device Manager has been installed on that computer, and that the client has been added into a managed group under Atrust Device Manager.</li> </ul>

To take a snapshot from a client, please do the following:

1. On Atrust Client Setup, click **System** > **Snapshot**.


Atrust Client Setup				-		×
Atrust	Applications User Interface Devices	System				
Navigator + Password + Firmware Update • Snapshot + Appliance Mode + UWF + Advanced	General Snapshot Snapshot location: Snapshot type: • CAUTION! The system will reboot immedia Apply Cancel	USB = tely for taking snapshot.	Deployment	OBacka	up	

- 2. Under the Snapshot section, click the drop-down menu to select where to store the snapshot. Two options are available: **Network** and **USB**.
  - To store the snapshot file set on the remote computer, please select Network.
  - To store the snapshot file set on the locally attached USB flash drive, please select USB.
- 3. Type in the desired description for the snapshot, and then select its type: **Deployment** or **Backup**.



- Taking a snapshot for mass deployment (**Deployment** is selected) will reset the startup behavior to the default (auto-login with the default standard user account).
   For details, please see "About the Behavior of System Startup" on page 10.
- Additionally, all system specific information, including the Computer Security Identifier (SID) and computer name, will be reset or removed from the system image by performing the System Preparation (**Sysprep**) tool automatically.

- 4. Click **Apply** to start taking the snapshot.
- 5. A message will appear prompting for confirmation. Click Yes to confirm.
- 6. The system will restart to complete the process *automatically*.



### 3.2.7 Deploying Systems with a Created Snapshot

Your snapshots may be stored on a remote computer over the network or on a USB flash drive. Depending on where your snapshot is located, you can deploy a system image either through the network or a USB flash drive.



### With a Snapshot on a Remote Computer

To deploy a system image on your mt188W with a snapshot on a remote computer, please do the following:

1. On Atrust Client Setup, click **System** > **Firmware Update**.

🧶 Atrust Client Setup		-		$\times$
Atrust	Applications User Interface Devices System			
Navigator > Password > Firmware Update > Snapshot Appliance Mode > UWF > Advanced	General Firmware Update Current Version: Windows 10 IoT Enterprise LTSB 1.32-INTL (X64) (mt188W) Firmware Type: * WARNING! This will remove all data you have placed on this machine. * This setting will take effect after reboot. Cancel	Check Fi	mware	

- 2. Under the Firmware Update section, click the Firmware Type drop-down menu to select **Snapshot**. The system will automatically download the Snapshot list from the remote computer.
- 3. Upon completion, a message appears notifying you that the Snapshot list has been loaded.



- 4. Click **OK** to continue.
- 5. Click drop-down menus to select the desired snapshot and other options.

🧶 Atrust Client Setup		– 🗆 X
Atrust	Applications User Interface Devices S	iystem
Navigator > Password > Firmware Update > Snapshot > Appliance Mode > UWF > Advanced	General Firmware Update Current Version: Windows 10 IoT Enterprise LTSE Firmware Type: Firmware Version: Reboot immediately:	8 1.32-INTL (X64) (mt188W) Snapshot WIN10IOTENT LTSB 1.32-INTL(Snapshot) (X6V NO V Check Firmware
	WARNING! This will remove all data you have a transmission of the setting will take effect after reboot.	placed on this machine.

Options for Deploying a Snapshot		
Item	Description	
Firmware Version	Click to select the desired snapshot from the Snapshot list.	
Reboot immediately	Click to choose whether to restart the system immediately for firmware update or manually restart the system later.	

6. Click **Update firmware** to confirm your selections. The system will start deploying the snapshot after restart.

### With a Snapshot on a USB Flash Drive

To deploy a system image on your mt188W with a snapshot on a USB flash drive, please do the following:

- 1. Plug the USB flash drive into a free USB port of the client.
- 2. Start up or restart the client.
- 3. During the period of POST (Power-On Self-Test), press F7 to enter the Boot Device menu.
- 4. Select to boot from the attached USB flash drive.
- 5. The Atrust Thin Client Recovery System is launched.
- 6. Select **USB**, and then click **Next** to continue.

Atrust Thin Client Reco	overy System
Valid device: /dev/sdb1 USB mount successfully: device=/dev/sdb1	
Please choose one source:	
USB	
Network	
	Next Cancel

- 7. The recovery system start deploying the snapshot to the client.
- 8. After completion, click **Finish** to restart the client.

### 3.2.8 Restoring Systems with a Created Snapshot

Your snapshots may be stored on a remote computer over the network or on a USB flash drive. Depending on where your snapshot is located, you can restore a system image either through the network or a USB flash drive.

NOTE
<ul> <li>For detailed information on how to take a snapshot, please refer to section "3.2.6 Taking Snapshots for Mass Deployment or System Recovery" on page 36.</li> </ul>


### With a Snapshot on a Remote Computer

To restore a system image to your mt188W with a snapshot on a remote computer, please do the following:

1. On Atrust Client Setup, click **System** > **Firmware Update**.

Ø Atrust Client Setup		-		×
Atrust	Applications User Interface Devices System			
Navigator P Password Snapshot Appliance Mode UWF Advanced	General Firmware Update Current Version: Windows 10 IoT Enterprise LTSB 1.32-INTL (X64) (mt188W) Firmware Type:  * WARNING! This will remove all data you have placed on this machine. * This setting will take effect after reboot. Cancel	Check Fir	mware	

- 2. Under the Firmware Update section, click the Firmware Type drop-down menu to select **Snapshot**. The system will automatically download the Snapshot list from the remote computer.
- 3. Upon completion, a message appears notifying you that the Snapshot list has been loaded.



- 4. Click **OK** to continue.
- 5. Click drop-down menus to select the desired snapshot and other options.

Atrust Client Setup		– 🗆 X
Atrust	Applications User Interface Devices	System
Navigator Password Firmware Update Snapshot Appliance Mode UWF Advanced	General Firmware Update Current Version: Windows 10 IoT Enterprise LTS Firmware Type: Firmware Version: Reboot immediately: * WARNING! This will remove all data you have	Snapshot
	* This setting will take effect after reboot. Update firmware Cancel	

Options for Restoring a Snapshot		
Item	Description	
Firmware Version	Click to select the desired snapshot from the Snapshot list.	
Reboot immediately	Click to choose whether to restart the system immediately for firmware update or manually restart the system later.	

6. Click **Update firmware** to confirm your selections. The system will start restoring the snapshot after restart.

### With a Snapshot on a USB Flash Drive

To restore a system image to your mt188W with a snapshot on a USB flash drive, please do the following:

- 1. Plug the USB flash drive into a free USB port of the client.
- 2. Start up or restart the client.
- 3. During the period of POST (Power-On Self-Test), press F7 to enter the Boot Device menu.
- 4. Select to boot from the attached USB flash drive.
- 5. The Atrust Thin Client Recovery System is launched.
- 6. Select **USB**, and then click **Next** to continue.

Valid device: /dev/sdb1 USB mount successfully: device=/dev/sdb1	
Please choose one source:	
USB	
Network	

- 7. The recovery system start restoring the snapshot to the client.
- 8. After completion, click **Finish** to restart the client.

### 3.2.9 Enabling or Disabling the Appliance Mode

The Appliance mode allows your thin client to start up directly with the desired Microsoft Remote Desktop, Citrix ICA, VMware View or Horizon View session. After exiting a session, the client will perform the configured action.

r	lo.	Mode	Description
			The client will start up directly with the desired RDP / ICA / View session and perform the configured action after exiting the session.
			Available actions include:
	1	Appliance	• Re-launching a new session
			Restarting the thin client
			• Turning off the thin client
			The client will start up directly with the desired RDP / ICA / View session and perform the configured action after exiting the session.
			Available actions include:
	2	Autostart	Returning to the local desktop
			<ul> <li>Re-launching a new session</li> </ul>
			<ul> <li>Restarting the thin client</li> </ul>
			<ul> <li>Turning off the thin client</li> </ul>

- · For more information on above modes, please refer to sections:
  - ♦ 3.2.9 on page 43 (Appliance mode)
  - ♦ 3.5.5 on page 69 (Autostart mode for RDP sessions)
  - ♦ 3.5.8 on page 94 (Autostart mode for ICA sessions)
  - ♦ 3.5.11 on page 109 (Autostart mode for View sessions)

### Enabling the Appliance Mode

To enable the Appliance mode, please do the following:



### NOTE

- Ensure that you have configured the connection settings for the desired Microsoft Remote Desktop, Citrix ICA, VMware View or Horizon View session under **Applications** tab. You need to specify which service type and connection settings entry will be used under the Appliance mode. For detailed instructions, please see sections:
  - ♦ "3.5.3 Configuring Basic RDP Connection Settings" on page 57
  - ♦ "3.5.6 Configuring Basic ICA Connection Settings" on page 82
  - ♦ "3.5.9 Configuring Basic VMware View Connection Settings" on page 105

1. On Atrust Client Setup, click **System** > **Appliance Mode**.

🧶 Atrust Client Setup		_	×
Atrust	Applications User Interface Devices System		
Navigator Password Firmware Update Snapshot Appliance Mode UWF Advanced	General Basic Settings Cancel Save Cancel		

- 2. Click to check Enable Appliance Mode.
- 3. Other settings of the Appliance mode appear.

🔓 🗹 Enable Appliance Mode		
Application Type:	Remote Desktop	<b>~</b> E
Use Session:	RDW	<b>~</b> 6
On Application Exit:	Restart Application	< E
* To launch Console: Shift+Ctrl+Delete		
* To toggle RDP fullscreen: Ctrl+Alt+Pause		

4. Click drop-down menus to select the application (or service) type: **Citrix ICA**, **Remote Desktop**, or **VMware View**, and the specific service available in that type.

🔓 🗹 Enable Appliance Mode		
Application Type:	Remote Desktop	~ E
Use Session:	RDW	~ 6
On Application Exit:	Restart Application	~ E
* To launch Console: Shift+Ctrl+Delete		
* To toggle RDP fullscreen: Ctrl+Alt+Pause		
Basic Settings		
🔓 🗹 Enable Appliance Mode		
Application Type:	Citrix ICA	× 6
Use Session:	WL7	× 6
On Application Exit:	Restart Application	× 6
* To launch Console: Shift+Ctrl+Delete		
		_
Basic Settings		
盲 🗹 Enable Appliance Mode		
Application Type:	VMware View	~ E
	VH6	~ E
Use Session:		~ E
Use Session: On Application Exit:	Restart Application	

- 5. Click **Save** to confirm your selections.
- 6. The system will enter the Appliance mode after restart.


#### 

• To disable the Appliance mode or to access Atrust Client Setup under the Appliance mode, please refer to "Disabling the Appliance Mode" on page 46.

### Disabling the Appliance Mode

To disable the Appliance mode, please do the following:

- 1. Under the Appliance mode, exit the Full Screen mode of the RDP / ICA session, or release the keyboard and mouse from the View session (virtual desktop):
  - To exit the Full Screen mode of the RDP session, press Ctrl + Alt + Pause.
  - To exit the Full Screen mode of the ICA session, use the XenDesktop toolbar at the top (You may not in the Full Screen mode).
  - To release the keyboard and mouse from the View session (virtual desktop), press Ctrl + Alt.



2. Click **Ctrl + Shift + Del** to launch Atrust Client Setup.



- You cannot access the local desktop under the Appliance mode.
- 3. On Atrust Client Setup, click **System** > **Appliance Mode**.
- 4. Click to uncheck Enable Appliance Mode, and then click Save to apply the change.
- 5. Return to the current RDP / ICA / View session:
  - To return to the current RDP / ICA session, use Alt + Tab (press and hold Alt, and then press Tab to switch between different items) to select and restore the current RDP / ICA session.
  - To return to the current View session, click any place of the View session (virtual desktop) on the background.
- 6. Log off from the current RDP / ICA / View session.
- 7. The client might shut down then. Restart your client manually.

### 3.2.10 Configuring UWF (Unified Write Filter)

Your mt188W is UWF-enabled by default. Unified Write Filter (UWF) is a sector-based write filter intercepting all write attempts to a protected volume and redirecting those write attempts to a RAM cache. With UWF, all system changes will only affect the session where the changes are made. After restart, all changes will be discarded.

### WARNING

- The UWF feature is enabled by factory default. *Except for changes to ACS settings*, all the changes made in a session will not be kept after the system restart. Ensure that you choose the desired settings here before making any changes to the system.
- An icon in the Notification area of the Taskbar will indicate the current UWF state of your system. For details, please refer to the description at the end of this section.

To configure the UWF settings, please do the following:

- 1. On Atrust Client Setup, click **System** > **UWF**.
- 2. Click the State drop-down menu to enable/disable the UWF feature.

Atrust Client Setup			- 🗆	×
Atrust	Applications   User Interface   Devices   Sy	stem		
Navigator Password Firmware Update Snapshot Appliance Mode UWF Advanced	General UWF Setting Next State: Maximum used memory: When UWF is disabled, warn me every: * This setting will take effect after reboot. Save Cancel	Enabled 1024 MB 24 hours		

3. Click to select other options if needed.

UWF Options		
Item	Description	
Next State	Click to enable / disable UWF. A restart is required for switching.	
Maximum used memory	Click to select the maximum memory used for UWF.	
When UWF is disabled, warn me every	Click to select how often the system warns you when UWF is disabled.	

- 4. Click Save to confirm your selections.
- 5. You may need to restart the system for the change(s) to take effect.




 You need to restart the system for switching between the UWF enabled and disabled states. An icon will appear in the Notification area of the Taskbar to indicate the current UWF state of the system. The following table provides a description of each icon:

Icon	Name	Description
Ŧ	Green Lock	The UWF is currently enabled. Except for changes to ACS settings, all the other changes made to the system in current session will not be kept after the system restart.
6	Orange Lock	The UWF state was changed and will take effect after the system restart.
6	Red Lock	The UWF is currently disabled.

> TIP

• When UWF is enabled, you can move the mouse pointer over the UWF icon to check currently free memory (overlay) for UWF. A tooltip as below will be shown.





## NOTE

- As a thin client device, your mt188W is mainly for access to remote or virtual desktops on servers. With the limited and protected (UWF-enabled) hard disk space, it's *not* recommended to save data on your mt188W. Instead, you can use storage spaces over remote / virtual desktops, removable storage devices, or networks.
- In case that you need to copy a file to the protected volume, ensure that its size is smaller than the free memory (overlay) space. Otherwise, your system may have unexpected results or become unresponsive.

### 3.2.11 Enabling or Disabling Auto Registration

Auto Registration allows that thin clients automatically register with Atrust Device Manager when they are online and then become managed by Atrust Device Manager.

NOTE
<ul> <li>For this feature to work, Auto Registration must be enabled on both sides: thin clients and target Atrust Device Manager. In addition, some configurations on DHCP or DNS server over your network are required. For details, please refer to the User's Manual for Atrust Device Manager.</li> </ul>
• By default, Auto Registration is enabled on thin client side, disabled Atrust Device Manger.

To enable or disable Auto Registration on your thin client, please do the following:

- 1. On Atrust Client Setup, click **System** > **Advanced**.
- 2. Check / Uncheck to Enable Auto Registration to enable / disable Auto Registration.

<ol> <li>Atrust Client Setup</li> </ol>		-	×
Atrust	Applications User Interface Devices System		 
Navigator Password Firmware Update Snapshot Appliance Mode UWF Advanced	General		

3. Click Save to apply.

# 3.3 Configuring External Device Settings

### 3.3.1 Devices Tab Overview

**Devices** tab enables you to configure settings for external devices of clients. To access available settings of **Devices** tab, click the tab on Atrust Client Setup.

	Q. Atrust Client Setup		– 🗆 X	
	Atrust	Applications User Interface Devices System		
	Navigator	Devices		
1	Navigator USB Storage Audio	VSB Storage Configure USB storage         Image: Audio Configure audio device	••• •	2

### **Devices Tab Overview**

Inter	face Elements	
No.	Name	Description
1	Navigation area	Click to select a setting item under <b>Devices</b> tab.
2	Configuration area	Configures setting values when a setting item is selected.

### 3.3.2 Available Settings at a Glance

Tab	Setting	Icon	Description	Section	Page
Douisos	USB Storage	Ų <sup>™</sup>	Click to configure settings for USB storage devices.	3.3.3	51
Devices	Audio	Gil	Click to configure settings for audio devices.	3.3.4	52

### 3.3.3 Configuring Settings for USB Storage Devices

To configure settings for USB storage devices, please do the following:

1. On Atrust Client Setup, click **Devices** > **USB Storage**.

Ø Atrust Client Setup	-		×
Atrust	Applications User Interface Devices System		- 1
Navigator • USB Storage • Audio	General USB Storage Security Options * This setting will take effect immediately. If you change this setting while a USB storage device is attached, the change applies to the device only after it's replugged. Save Cancel	7	

2. Click the drop-down menu to select the desired setting. Three options are available: **Enable USB Storage**, **Read-Only Access**, and **Disable USB Storage**.

NO	TE
•	When <b>Enable USB Storage</b> is selected, settings of RDP / ICA connection entries under <b>Applications</b> tab may affect if you can use <i>mapped</i> USB storage devices in remote / virtual desktop sessions. For details, please refer to sections:
	<ul> <li>* "3.5.5 Configuring Advanced RDP Connection Settings" on page 69</li> <li>* "3.5.8 Configuring Advanced ICA Connection Settings" on page 94</li> </ul>
•	When <b>Disable USB Storage</b> is selected, Citrix ICA and VMware View / Horizon View sessions may still allow users to use locally attached USB storage devices

- through *redirection*. To really prevent the use of USB storage devices in virtual desktop sessions, some configurations in Citrix and VMware service delivery environments are required.
- 3. Click **Save** to store your change.

### 3.3.4 Disabling or Enabling Attached Audio Devices

To disable/enable attached audio devices, please do the following:


NO	ТЕ
•	If you disable locally attached audio devices, client users are not allowed to perform audio playback or recording with these devices in an RDP / ICA / View session.
	To perform audio playback or recording with local audio devices in an RDP / ICA / View session, you need to enable locally attached audio devices here (the <b>Audio</b> setting item under <b>Devices</b> tab) and configure audio related settings (if any) in the RDP / ICA / View connection settings. For detailed instructions, please refer to sections:
	♦ "3.5.5 Configuring Advanced RDP Connection Settings" on page 69

- ♦ "3.5.8 Configuring Advanced ICA Connection Settings" on page 94
- ♦ "3.5.11 Configuring Advanced View Connection Settings" on page 109

### 1. On Atrust Client Setup, click **Devices** > **Audio**.

Ø Atrust Client Setup		-	×
Atrust	Applications   User Interface   Devices   System		
Navigator > USB Storage ~ Audio	General Audio Enable System Audio Device This setting will take effect after reboot. Save Cancel		

- 2. Click to check/uncheck Enable System Audio Device.
- 3. Click **Save** to confirm your selection.



# 3.4 Configuring User Interface Settings

### 3.4.1 User Interface Tab Overview

**User Interface** tab enables you to configure settings for the user interface of clients. To access available settings of **User Interface** tab, click the tab on Atrust Client Setup.

### **User Interface Tab Overview**

	Q Atrust Client Setup		– 🗆 X	
	Atrust	Applications   User Interface   Devices   System		
•	Navigator	User Interface		
0	<ul> <li>Desktop</li> </ul>	Configure desktop icons	•••	2

Interface Elements					
No.	Name	Description			
1	Navigation area	Click to select a setting item under <b>User Interface</b> tab.			
2	Configuration area	Configures setting values when a setting item is selected.			

### 3.4.2 Available Settings at a Glance

Γ	Tab	Setting	Icon	Description	Section	Page
	User Interface	Desktop		Click to configure the display of standard desktop shortcuts for quick service access.	3.4.3	54

### 3.4.3 Configuring the Display of Standard Desktop Shortcuts for Quick Access

The **Desktop** setting enables you to display or hide the standard desktop shortcuts for service quick access. Three standard desktop shortcuts are available: **Citrix Receiver**, **Remote Desktop Connection**, and **VMware Horizon View Client**, separately for quick service access of Citrix XenApp / XenDesktop / VDI-in-a-Box, Microsoft Remote Desktop / Remote Application (RemoteApp), and VMware View / VMware Horizon View.








**Remote Desktop Connection** 

Citrix Receiver

VMware Horizon View Client



• You can also customize your desktop shortcuts for quick service access. For detailed instructions on how to create and customize your own desktop shortcuts, please refer to section "3.5 Configuring Service Access Settings" on page 55.

To display or hide the standard desktop shortcuts for quick service access, please do the following:

1. On Atrust Client Setup, click **User Interface > Desktop**.

Applications     User Interface     Devices     System       Navigator     General     General <ul> <li>Desktop</li> <li>Desktop Connection</li> <li>Citrix Receiver</li> <li>Citrix Receiver</li> <li>Save</li> <li>Cancel</li> </ul>	Atrust Client Setup		_	×
Desktop      Desktop Icons      General      Centra      Centra      Centra      VMware Horizon View Client	Acrusc	Applications User Interface Devices System		_
	the second data is not a second second of the second second second second second second second second second se	Desktop Icons		

- 2. Click to check/uncheck Remote Desktop Connection, Citrix Receiver, or VMware Horizon View Client.
- 3. Click **Save** to apply.

# 3.5 Configuring Service Access Settings

### 3.5.1 Applications Tab Overview

**Applications** tab enables you to configure settings for service access on clients. To access available settings of **Applications** tab, click the tab on Atrust Client Setup.

### **Applications Tab Overview**

	Atrust Client Setup		– 🗆 X	
	Atrust	Applications   User Interface   Devices   System		
•	Navigator	Applications		
0	<ul> <li>Remote Desktop</li> <li>Citrix ICA</li> <li>VMware View</li> <li>Web Browser</li> </ul>	Remote Desktop       Available Sessions: 0         Configure RDP (Remote Desktop Protocol) connection settings         Configure Clrix ICA Available Sessions: 0         Configure View Available Sessions: 0         Configure VMware View connection settings         Web Browser         Available Sessions: 0         Configure local browser settings	•••	2

Interface Elements				
No.	Name	Description		
1	Navigation area	Click to select a setting item under <b>Applications</b> tab or to select a setting entry under a selected setting item.		
2	Configuration area	Configures setting values when a setting item or entry is selected.		

### 3.5.2 Available Settings at a Glance

Tab	Setting	Icon	Description	Section	Page
	Remote Desktop		Click to configure RDP (Remote Desktop Protocol) connection settings and create access shortcuts on the desktop for RDP sessions.	3.5.3 3.5.4 3.5.5	57 64 69
Applications	Citrix ICA	٢	Click to configure Citrix ICA (Independent Computing Architecture) connection settings and create access shortcuts on the desktop for ICA sessions.	3.5.6 3.5.7 3.5.8	82 90 94
	VMware View		Click to configure VMware View connection settings and create access shortcuts on the desktop for View sessions.	3.5.9 3.5.10 3.5.11	105 107 109
	Web Browser	Click to configure browser session settings and create access shortcuts on the desktop for browser sessions.	3.5.12	111	

### 3.5.3 Configuring Basic RDP Connection Settings

The **Remote Desktop** setting allows you to configure RDP (Remote Desktop Protocol) connection settings and create shortcuts on the desktop or Start screen for Remote Desktop services. You can access services for work simply through these shortcuts.



### Three connection types are available:

Connection Type	Description	Page
Remote Desktop	Select to access remote desktops/applications.	58
Remote Web Access	Select to access remote desktops/applications through a Web browser.	60
Web Feed	Select to access remote applications through published Start screen tiles.	62

### Connection Type: Remote Desktop

To quickly configure RDP connection settings for Remote Desktop connection type, please do the following:

1. On Atrust Client Setup, click **Applications** > **Remote Desktop**.

Atrust Client Setup			_	×
Λtrust	Applications User Interface D	evices System		
Navigator	+ Add - Delete			
Remote Desktop	<ul> <li>Session Name</li> </ul>	Server Address	Connection Type	
Citrix ICA				
VMware View				
Web Browser				
web browser				
	9			

2. The RDP Connection list appears in the Configuration area.



3. Click **Add** on the top of the RDP Connection list to create a new entry of RDP connection.

🧶 Atrust Client Setup		- 0	×
Δtrust	Applications User Interface Devices	System	
Navigator * Remote Desktop > Citrix ICA > VMware View > Web Browser	General     Options     RD Gateway       Server Settings       Server Address:       Connection Type:       Connection Quality:       Server Authentication:	Remote Desktop	
	Login Settings Username: Password: Domain:		
	- Common Settings Autostart When Startup: On Application Exit:	No V C	
	Save Cancel		

4. On **General** sub-tab, type in the session name and the server/virtual machine address under the Server Settings section.

NOTE
The red asterisks indicate the required fields.
• The remote computer can be a physical server or a virtual machine. Please visit Microsoft's websites at www.microsoft.com or support.microsoft.com for more information.

- 5. Click **Save** to add this RDP connection entry.
- 6. The shortcut for Remote Desktop connection is automatically created on the desktop.



• Depending on your plan of service delivery and the configuration of your server(s), you may need to configure other advanced RDP connection settings for service access. For more information on other available settings, please refer to section "3.5.5 Configuring Advanced RDP Connection Settings" on page 69.

### Connection Type: Remote Web Access

To quickly configure RDP connection settings for Remote Web Access connection type, please do the following:



1. On Atrust Client Setup, click **Applications** > **Remote Desktop**.

Ø Atrust Client Setup				×
Atrust	Applications User Interface Devices	System		_
Navigator	+ Add - Delete			
▼ Remote Desktop	<ul> <li>Session Name</li> </ul>	Server Address	Connection Type	
Citrix ICA				
<ul> <li>VMware View</li> <li>Web Browser</li> </ul>				
• Web Browser				
	Q			
	•			

2. The RDP Connection list appears in the Configuration area.



3. Click **Add** on the top of the RDP Connection list to create a new entry of RDP connection.

Ø Atrust Client Setup			- 🗆 X
Atrust	Applications User Interface Devices	System	
Navigator • Remote Desktop • Citrix ICA • VMware View • Web Browser	Applications     User Interface     Devices       General     Options     RD Gateway       Server Settings       Session Name:       Connection URL:       Connection Type:         Common Settings       Autostart When Startup:       On Application Exit:	System  =  Remote Web Access  No Do Nothing	
	Save Cancel		

- 4. On General sub-tab, click the Connection Type drop-down menu to select Remote Web Access.
- 5. Type in the session name and connection URL through which Web-based remote applications/desktops is accessible.

- The red asterisks indicate the required fields.
- Consult your IT administrator for the appropriate connection URL.
- 6. Click **Save** to add this RDP connection entry.
- 7. The shortcut for Remote Web Access connection is automatically created on the desktop.

### DOTE

• Depending on your plan of service delivery and the configuration of your server(s), you may need to configure other advanced RDP connection settings for service access. For more information on other available settings, please refer to section "3.5.5 Configuring Advanced RDP Connection Settings" on page 69.

### Connection Type: Web Feed

To quickly configure RDP connection settings for Web Feed connection type, please do the following:



1. On Atrust Client Setup, click **Applications** > **Remote Desktop**.

🧶 Atrust Client Setup			_	×
Atrust	Applications User Interface Devices	System		
Navigator	+ Add → Delete ✓ Session Name	Server Address	Connection Type	
Remote Desktop     Citrix ICA			Connection type	1
VMware View				
Web Browser				
	٥			
				_


2. The RDP Connection list appears in the Configuration area.




3. Click **Add** on the top of the RDP Connection list to create a new entry of RDP connection.

🧶 Atrust Client Setup		- 0	×
Atrust	Applications User Interface Devices System		
Navigator • Remote Desktop • Citrix ICA • VMware View • Web Browser	General       Options       RD Gateway         Server Settings         Session Name:         Web Feed URL:         Connection Type:         Login Settings         Username:         Password:         Domain:         RemoteApp and Desktop Connections         Update Now         Connection name:         Summary:         Last Update:		

- 4. On General sub-tab, click the Connection Type drop-down menu to select Web Feed.
- 5. Type in the session name, the Web Feed URL through which remote applications is accessible, and your credentials for Web Feed.



- Consult your IT administrator about the appropriate Web Feed URL.
- 6. Click **Update Now** in the RemoteApp and Desktop Connections section. After completion, the result will be shown as blow in that section.



- 7. Click **Save** to add this RDP connection entry.
- 8. The application tiles for Web Feed are automatically created on the Start screen.



• Depending on your plan of service delivery and the configuration of your server(s), you may need to configure other advanced RDP connection settings for service access. For more information on other available settings, please refer to section "3.5.5 Configuring Advanced RDP Connection Settings" on page 69.

## 3.5.4 Accessing Remote Desktop Services

#### **Connection Type: Remote Desktop**

To access Remote Desktop services, please do the following:

1. Double click the created (customized) shortcut on the desktop.

shortcut Remote Deskto	ote Desktop services through the standard desktop <b>op Connection</b> . For detailed instructions on how to access I shortcut, please refer to section "2.3 Accessing Microsoft s" on page 20.

- 2. Follow the on-screen instructions and provide required credentials if needed.
- 3. The desired remote desktop will be displayed on the desktop in full screen (by default).

NOTE
The connect
only session

The connection type of Remote Desktop also allows you to launch *application-only* sessions; only a specific application is launched rather than a full desktop. For details, please refer to "3.5.5 Configuring Advanced RDP Connection Settings" on page 69.


### Example: Windows MultiPoint Server 2012



Example: Windows Server 2012



# **Example: Windows 8 Enterprise**



#### Connection Type: Remote Web Access

To access remote applications/desktops, please do the following:

- 1. Double click the created shortcut on the desktop.
- 2. A window appears prompting for credentials.

Work Resources	n	
	Help	
	Demainluser name Personal Pers	
E Window Server 2012 R2	and sign in again.	



# NOTE

- A warning message about security might appear. Consult your IT administrator for details and ensure the connection is secure *first*. To by pass, click **Continue to** this website.
- Click to select Allow to enable ActiveX Control when a popup message appears at the bottom of the page.
- 3. Provide your credentials, and then click **Sign in**.

02425427-25.5	B RD Web Access	
Work Resources RemoteApp and Deaktop Connection		
RemoteApp and Desktops Connect to a remote PC	Help Sign out	
Current folder / Recont Acrossit Record C		
Windows Server 2012 R2	Microsoft	
	t: 10 We Aces	
Work Resources RemoteApp and Desktop Connection		
RemoteApp and Desktops Connect to a remote PC	Help Sign out	

4. Click to select RemoteApp and Desktops or Connect to a remote PC.

ſ		To RD Web Access
	Work Resources Remotekeps and Desktop Connection	
	RemoteApp and Desktops Connect to a remote PC	Help Sign out
	Enter the name of the remote computer that you ease to connect to, specify options; and then dick Connect. Connection options Connect to Connect to Connect to Connect to Connect to Connect to Connect Connec	
	Windows Server 2012 R2	Microsoft
		B

5. Click icons or follow the on-screen instructions to launch applications or desktops.

#### **Connection Type: Web Feed**

To access remote applications, please do the following:

1. On Start screen, click All apps.




2. Click to launch the desired application.



#### 3.5.5 Configuring Advanced RDP Connection Settings

The table below provides a description of each setting item for RDP connections. Please see this table to configure advanced settings and customize your mt188W desktop shortcuts or Start screen tiles for service access.



#### Settings for the Connection Type of Remote Desktop



#### General Sub-tab

Server Settings		
Item	Description	
Session Name	Type in the name for Remote Desktop sessions.	
Sever Address	Type in the computer name or IP address of the server/virtual machine where to deliver a Remote Desktop session.	
This table only provides descriptions for available settings when <b>Remote Desktop</b> is selected. Three connection types are available:		lected.
	Option	Description
Connection Type	Remote Desktop	Provides access to remote desktops/applications.
	Remote Web Access	Provides access to remote desktops/applications through a Web browser (Internet Explorer).
	Web Feed	Provides access to remote applications through published Start screen tiles.
Connection Quality	Select the setting that best describes the quality of your network connection. Three options are available: Very Fast (LAN), Fast (Broadband), Slow (Modem), and Automatic Detection.	


	Select what to do next if the client cannot verify the identity of the remote computer. Three options are available: <b>Connect and don't warn me</b> , <b>Warn me</b> , and <b>Do not connect</b> .			
	Option	Description		
Server Authentication	Connect and don't warn me	Connects anyway without any warning.		
	Warn me	Warns and allows users to choose whether to connect or not.		
	Do not connect	Disallows the connection.		
Login Settings				
Item	Description			
Username	Type in the user/accou	unt name used for authentication.		
Password	Type in the password	of the user account used for authentication.		
Derreit	Type in the domain of the server.			
Domain	<b>NOTE:</b> Leave this field blank if the server doesn't belong to any domain.			
Common Settings				
Item	Description			
	Select whether to open a Remote Desktop session automatically or not when Windows 10 IoT Enterprise starts.			
Autostart When Startup		If <b>Yes</b> is selected, every time when you log in to the system, the Remote Desktop session will be opened automatically.		
	Select what to do whe available: <b>Do Nothing</b>	Select what to do when a Remote Desktop session is ended. Four options are available: <b>Do Nothing, Restart Application, Reboot</b> , and <b>Shutdown</b> .		
	Option	Description		
On Application Exit	Do Nothing	Returns to the Windows 10 IoT Enterprise desktop.		
	Restart Application	Opens a Remote Desktop session again.		
	Reboot	Restarts your thin client.		
	Shutdown	Turns off your thin client.		

# Options Sub-tab

Programs		
Item	Description	
Start the following program on connection	<ul> <li>Click the drop-down menu to enable/disable the Application mode. You can use this option to select the session type. Two remote session types are available:</li> <li>Remote Desktop (when the Application mode is disabled)</li> <li>Remote Application (when the Application mode is enabled)</li> <li>NOTE: Remote Application sessions are Remote sessions used to access only specific applications rather than full desktops.</li> <li>NOTE: Before you can open a Remote Application session, you need to add the desired application to the RemoteApp Programs list with RemoteApp Manager on the application hosted server. For detailed instructions on how to add a desired application to the RemoteApp Programs list on the server, please visit Microsoft Support website at support.microsoft.com.</li> </ul>	
Start in the following folder	Start the following NOTE: You can type i and specify or name (the ne	f the desired application (on the host server) if <b>program on connection</b> is enabled. In the location/path of the desired application in this field, and the name of the application in <b>Program path and file</b> and the <b>Program path and file name</b> , and leave this field empty.
	Type in the path and program on connect	name of the desired application if <b>Start the following</b> tion is enabled. Format Example
	Windows Media Player	C:\Programs Files (x86)\Windows Media Player\wmplayer.exe
Program path and file name	Adobe Reader X	C:\Programs Files (x86)\Adobe\Reader 10.0\Reader\ArcoRd32.exe
	Adobe Reader X	C:\Programs Files (x86)\Adobe\Reader 10.0\Reader\ArcoRd32
	NOTE: the file extens	ion can be omitted.
Window Settings		
Item	Description	
	Click the drop-down menu to select the desired color depth for a Remote Desktop session. Four options are available: <b>15 Bit</b> , <b>16 Bit</b> , <b>24 Bit</b> , and <b>32 Bit</b>	
Color Depth	<b>NOTE:</b> If RemoteFX is enabled, then no matter which color depth you choose here, 32 bit per pixel will be applied.	
	<b>NOTE:</b> You can configure the upper limit of the color depth for a Remote Desktop session on the host server. In this case, no matter which color depth you choose here, the value cannot exceed the defined limit.	
Resolution	Click the drop-down menu to select the desired display resolution on a Remote Desktop session. Twelve options are available: Fullscreen, 1920x1200, 1920x1080, 1680x1050, 1400x1050, 1440x900, 1280x1024, 1280x768, 1280x720, 1024x768, 800x600, and 640x480.	

Multi-Monitor	Click the drop-down menu to enable/disable multiple displays in a Remote Desktop session.		
Display the connection bar when I use the full screen	Click the drop-down menu to select if the Connection bar is displayed or not in full-screen mode.		
<b>Connection Settings</b>			
Item	Description		
	Click the drop-down menu to	o enable/disable printer mapping.	
	When <b>Enable</b> is selected, us Remote Desktop session.	ers can access a local or network printer in a	
Printer Mapping		desired local or network printer(s) for your thin enable this feature here to use that printer in a sion.	
	<b>NOTE:</b> To add a local or network printer for your Windows 10 IoT Enterprise- based thin client, go to Control Panel, click <b>Hardware and Sound</b> > <b>Devices and Printers</b> > <b>Add a printer</b> , and then follow the on-screen instructions to add the desired local or network printer.		
	Click the drop-down menu to	enable/disable Clipboard redirection.	
Clipboard Redirection	NOTE: When Enable is selected desktops (in both directed)	cted, Clipboard can be used across local and remote ections).	
	Click the drop-down menu to	enable/disable smart card mapping.	
Smart Card Mapping	When <b>Enable</b> is selected, users can access smart cards through a smart card reader in a Remote Desktop session.		
	Click the drop-down menu to enable/disable port mapping.		
Port Mapping	When <b>Enable</b> is selected, users can access attached devices using locally available ports, in a Remote Desktop session.		
	<b>NOTE:</b> The types and availability of device ports on thin clients may vary, depending on your product models.		
Local Resources Settings			
Item		Description	
	Click the drop-down menu to configure the computer sounds and audio playba setting in a Remote Desktop session. Three options are available: <b>Bring to th</b> <b>computer</b> , <b>Do not play</b> , and <b>Leave at remote computer</b> .		
	Option	Description	
Remote Audio Playback	Bring to this computer	Allows computer sounds and audio playback in a Remote Desktop session using locally attached audio devices.	
	Do not play	Disables computer sounds and audio playback in a Remote Desktop session.	
	Leave at remote computer	Leave computer sounds and audio playback at the remote computer.	


	Click the drop-down menu to configure the audio recording setting in a Remote Desktop session. Two options are available: <b>Recording from this computer</b> and <b>Do not record</b> .	
	Option	Description
Remote Audio Recording	Recording from this computer	Allows audio recording in a Remote Desktop session using locally attached audio devices.
	Do not record	Disables audio recording in a Remote Desktop session using locally attached audio devices.
		<b>computer</b> is selected on the drop-down menu <b>back</b> , this setting item will be grayed out.
Apply Windows key combinations	Click the drop-down menu to select where to apply Windows key combinations. Three options are available: <b>On this computer</b> , <b>On the remote computer</b> , <b>Only when using the full screen</b> .	
Drives	Click the drop-down menu to enable/disable locally attached drives in a Remote Desktop session.	
Supported plug and play devices	Click the drop-down menu to enable/disable the supported plug and play devices in a Remote Desktop session.	



# RD Gateway Sub-tab

<b>Connection Settings</b>		
Item	Description	
RD Gateway Server Settings	Click the drop-down menu to choose if a RD Gateway server is used, automatically detected, or manually configured. Three options are available: Automatically detect RD Gateway server settings, Use these RD Gateway server settings, and Do not use an RD Gateway server.	
Sever Name	Type the IP address / URL / FQDN of the RD Gateway server. NOTE: Consult your network administrator for details.	
		o select the logon method. Three options select later, Ask for password (NTLM), and
	Option	Description
Logon method	Allow me to select later	Users can select a logon method while connecting to the server.
	Ask for password (NTLM)	Users will be prompted for a password while connecting to the server.
	Smart card	Users will be prompted for a smart card while connecting to the server.
Bypass RD Gateway server for local addresses	Check to prevent traffic to and from local network addresses from being routed through the RD Gateway server and make a connection faster.	
Item	Description	
Use my RD Gateway credentials for the remote computer	Check to use the same set of credentials for authenticating to both the RD Gateway server and the remote computer.	


#### Settings for the Connection Type of Remote Web Access



#### General Sub-tab

Server Settings						
Item		Description				
Session Name	Type in the name for Remote Web Access sessions.					
Connection URL	Type in the connection	Type in the connection URL through which RD Web Access is available.				
	This table only provides Web Access is selecte	s descriptions for available settings when <b>Remote</b> d.				
	Three connection types	are available:				
	Option	Description				
Connection Type	Remote Desktop	Provides access to remote desktops/applications.				
	Remote Web Access	Provides access to remote desktops/applications through a Web browser (Internet Explorer).				
	Web Feed	Provides access to remote applications through published Start screen tiles.				
Common Settings	Г					
Item	Description					
	Select whether to open a Remote Desktop session automatically or not when Windows 10 IoT Enterprise starts.					
Autostart When Startup		If <b>Yes</b> is selected, every time when you log in to the system, the Remote Desktop session will be opened automatically.				
		a Remote Desktop session is ended. Four options are , <b>Restart Application</b> , <b>Reboot</b> , and <b>Shutdown</b> .				
	Option	Description				
	Do Nothing	Returns to the Windows 10 IoT Enterprise desktop.				
On Application Exit	Do Nothing					
On Application Exit	Restart Application	Opens a Remote Desktop session again.				
On Application Exit						

#### Options Sub-tab



#### RD Gateway Sub-tab



#### Settings for the Connection Type of Web Feed

# ΝΟΤΕ


- For descriptions of settings for the connection type of Remote Desktop, please refer to "Settings for the Connection Type of Remote Desktop" on page 69.
- For descriptions of settings for the connection type of Remote Web Access, please refer to "Settings for the Connection Type of Remote Web Access" on page 76.

#### General Sub-tab

Server Settings				
Item	Description			
Session Name	Type in the name for Web Feed sessions.			
Web Feed URL	Type in the URL through which RD Web Feed is accessible.			
	This table only provides descriptions for available settings when <b>Web Feed</b> is selected.			
	Three connection types	are available:		
	Option	Description		
Connection Type	Remote Desktop	Provides access to remote desktops/applications.		
	Remote Web Access	Provides access to remote desktops/applications through a Web browser (Internet Explorer).		
	Web Feed	Provides access to remote applications through published Start screen tiles.		
Login Settings	1			
Item	Description			
Username	Type in the user/account name used for authentication.			
Password	Type in the password of the user account used for authentication.			
Domain	Type in the domain of the	ne server.		
	NOTE: Leave this field I	plank if the server doesn't belong to any domain.		
RemoteApp and Desktop Co	nnection			
Item	Description			
Update Now	Click to fetch and update the published applications list from the server.			

# Options Sub-tab

Window Settings				
Item	Description			
	Click the drop-down menu to select the desired color depth for a Remote Desktop session. Four options are available: <b>15 Bit</b> , <b>16 Bit</b> , <b>24 Bit</b> , and <b>32 Bit</b> .			
Color Depth	<b>NOTE:</b> If RemoteFX is enabled, then no matter which color depth you choose here, 32 bit per pixel will be applied.			
	<b>NOTE:</b> You can configure the upper limit of the color depth for a Remote Desktop session on the host server. In this case, no matter which color depth you choose here, the value cannot exceed the defined limit.			
Resolution	Click the drop-down menu to select the desired display resolution on a Remote Desktop session. Twelve options are available: <b>Fullscreen</b> , <b>1920x1200</b> , <b>1920x1080</b> , <b>1680x1050</b> , <b>1400x1050</b> , <b>1440x900</b> , <b>1280x1024</b> , <b>1280x768</b> , <b>1280x720</b> , <b>1024x768</b> , <b>800x600</b> , and <b>640x480</b> .			
Multi-Monitor	Click the drop-down menu to enable/disable multiple displays in a Remote Desktop session.			
Display the connection bar when I use the full screen Click the drop-down menu to select if the Connection bar is displayed or n full-screen mode.				
Local Resources Settings				
Item	Description			
Apply Windows key combinations	Click the drop-down menu to select where to apply Windows key combinations. Three options are available: <b>On this computer</b> , <b>On the remote computer</b> , <b>Only when using the full screen</b> .			



RD Gateway Sub-tab



### 3.5.6 Configuring Basic ICA Connection Settings


The **Citrix ICA** setting allows you to configure ICA connections for Citrix services and create shortcuts on the local desktop for service access. You can access virtual desktops and applications for work simply through these shortcuts.


	NOTE • For more information on Citrix desktop virtualization solutions, please visit Citrix website at www.citrix.com or Citrix Knowledge Center at support.citrix.com.
3	• You can also access Citrix services through the Internet Explorer or the standard
	desktop shortcut <b>Citrix Receiver</b> . For detailed instructions on how to access services via this standard desktop shortcut, please refer to section "2.2 Accessing Citrix Services" on page 14.
	<ul> <li>The following topics in this section will guide you through the steps of creating and customizing your own service access shortcuts on the desktop and Start menu.</li> </ul>
	<ul> <li>To configure connection settings for <i>Citrix VDI-in-a-Box</i>, you can choose Web</li> <li>Logon or XenDesktop connection type.</li> </ul>

#### **Connection Type: Web Logon**

To quickly configure ICA connection settings for the connection type of Web Logon, please do the following:

- 1. On Atrust Client Setup, click **Applications** > **Citrix ICA**.
- 2. The available ICA Connection list appears in the Configuration area.





- 3. Click Add on the top of the ICA Connection list to create a new entry of ICA connection.
- 4. On **General** sub-tab, leave the connection type as **Web Logon** as default, and then type in the desired session name and the IP address / URL / FQDN of the server through which Citrix services are accessible under the Server Settings section.

Q. Atrust Client Setup			- 🗆 ×
Atrust	Applications   User Interface   Devices   S	ystem	
Navigator • Remote Desktop • Citrix ICA • VMware View • Web Browser	General       Options         Server Settings       Session Name:         Connection Type:       Server Address:         Common Settings       Autostart When Startup:         On Application Exit:       On Application Exit:		

# 

- The applicable or best suitable information type of the server side may vary with your Citrix environment. Consult your IT administrator for more information.
- 5. Click Save to add this ICA connection entry. The access shortcut will be created automatically on the desktop.



#### Connection Type: XenDesktop

To quickly configure ICA connection settings for the connection type of XenDesktop, please do the following:

- 1. On Atrust Client Setup, click **Applications** > **Citrix ICA**.
- 2. The available ICA Connection list appears in the Configuration area.

Navigator > Remote Desktop ~ Citrix ICA > VMware View > Web Browser	• Add   — Delete	e	Server Address	Connection Ty	/pe	
Q						

• If you haven't create any entry, the ICA Connection list will be empty.

- 3. Click **Add** on the top of the ICA Connection list to create a new entry of ICA connection.
- 4. On **General** sub-tab, click the Connection Type drop-down menu to select **XenDesktop**.

🧶 Atrust Client Setup			- 🗆 X
Atrust	Applications User Interface Devic	es System	
Navigator P Remote Desktop • Citrix ICA • VMware View • Web Browser	General Options Server Settings Session Name: Connection Type: Server Address: Username: Password: Domain: Desktop Group: Common Settings	* [XenDesktop * - - - - - - - - - - - - -	
	Autostart When Startup: On Application Exit:	No Do nothing	

5. Type the session name, the IP address / FQDN of the server through which XenDesktop is accessible, user credentials, the domain of the server, and then click the Search icon  $\mathcal{P}$  to discover available desktop groups.

OTE	
<ul> <li>The applicable or best suitable information type of the server side may var your Citrix environment. Consult your IT administrator for more informatio</li> </ul>	•
• The Search icon works only when required data (fields marked with a red a have been provided.	sterisk

6. Upon completion, the Search Dialog window appears for you to select the desktop group. Click the drop-down menu to select the desired desktop group, and then click **Select** to confirm.

Search	ı dialog		8
Desktop Group : W7Ue Desktops			•
	Select	Cancel	

- 7. The selected desktop group name automatically appears in the Desktop Group field.
- 8. Click **Save** to confirm. The access shortcut will be created automatically on the desktop.



#### Connection Type: XenApp

To quickly configure ICA connection settings for the connection type of XenApp, please do the following:


- 1. On Atrust Client Setup, click **Applications** > **Citrix ICA**.
- 2. The available ICA Connection list appears in the Configuration area.

avigator	+ Add - Delete	Common Address	Compation Topo
Remote Desktop	<ul> <li>Session Name</li> </ul>	Server Address	Connection Type
Citrix ICA			
VMware View			
Web Browser			
	0		

- 3. Click **Add** on the top of the ICA Connection list to create a new entry of ICA connection.
- 4. On General sub-tab, click the Connection Type drop-down menu to select XenApp.

🧶 Atrust Client Setup			-	×
Atrust	Applications User Interface Device	es System		
Navigator > Remote Desktop ~ Citrix ICA > VMware View > Web Browser	General Options Server Settings Session Name: Connection Type: Server Address: Username: Password: Domain: Application Name:	* XenApp *		
	Common Settings Autostart When Startup: On Application Exit: Save Cancel	No Do nothing		

5. Type the session name, the IP address / FQDN of the server through which XenApp is accessible, user credentials, the domain of the server, and then click the Search icon 🔎 to discover available applications.



6. Upon completion, the Search Dialog window appears for you to select the application. Click the drop-down menu to select the desired application, and then click **Select** to confirm.

Search d	ialog	8
Application Name : PDF Reader X		•
	Select	Cancel

- 7. The selected application name automatically appears in the Application Name field.
- 8. Click **Save** to confirm. The access shortcut will be created automatically on the desktop.



#### Connection Type: Server Connection

To quickly configure ICA connection settings for the connection type of Server Connection, please do the following:

- 1. On Atrust Client Setup, click **Applications** > **Citrix ICA**.
- 2. The available ICA Connection list appears in the Configuration area.

Navigator Remote Deskter	+ Add - Delete	Server Address	Connection Type	
r Citrix ICA r Citrix ICA r VMware View r Web Browser				
	Q			

- If you haven't create any entry, the ICA Connection list will be empty.
- 3. Click **Add** on the top of the ICA Connection list to create a new entry of ICA connection.
- 4. On General sub-tab, click the Connection Type drop-down menu to select Server Connection.

Ø Atrust Client Setup		-	×
Atrust	Applications User Interface Devices System		
Navigator > Remote Desktop ~ Citrix ICA > VMware View > Web Browser	General Options Server Settings Session Name: Connection Type: Server Address: Username: Password: Domain: Common Settings Autostart When Startup: On Application Exit: Save Cancel		

5. Type the session name, the IP address / FQDN of the server, user credentials, and the domain of the server.

# ΝΟΤΕ

- The applicable or best suitable information type of the server side may vary with your Citrix environment. Consult your IT administrator for more information.
- Only connections to XenApp servers are supported by this connection type.
- 6. Click **Save** to confirm. The access shortcut will be created automatically on the desktop.

# NOTE

• Depending on your plan of service delivery and the configuration of your server(s), you may need to configure other advanced ICA connection settings for service access. For more information on other available settings, please refer to section "3.5.8 Configuring Advanced ICA Connection Settings" on page 94.

## 3.5.7 Accessing Citrix Services

#### For Connection Types of XenDesktop, XenApp, and Server Connection

To access Citrix services, please do the following:

1. Double click the created (customized) shortcut on the desktop.



2. The desired application or desktop is displayed on the screen.

#### For Connection Types of Web Logon

To access Citrix services, please do the following:

1. Double click the created (customized) shortcut on the desktop.


NOTE
<ul> <li>You can also access Citrix services through the standard desktop shortcut Citrix Receiver. For details on how to access services via the standard desktop shortcut, please refer to section "2.2 Accessing Citrix Services" on page 14.</li> </ul>

2. The Web browser is launched with the Citrix Logon screen.


() () thtp://xa75p.ctx.poc/Citrix/StoreWeb/	ク - C D Citrix Receiver	×		□ × ☆ 隠 🙂
Citrix <b>Receive</b>	r	User name: Password:	domain\user or user@domain.com	
A COMPANY		Password:	Log On	

### Logon Screen Example: XenApp and XenDesktop 7.5 Platinum

3. Type in the required credentials and domain name, and then click Log On.




4. Click to select the desired application(s) or desktop(s).



### Screen for On-Demand Applications: XenApp 7.5 Platinum

Screen for On-Demand Desktops: XenDesktop 7.5 Platinum




5. The selected application(s) or desktop(s) will be displayed on the screen.

Mozilla Firefox Start Page	+	_ <b>_</b> X	66 🕁 🕮 🙂
Citrix Receiver		☆ 自 ♣ 斋 ❷ ♥ ≡ Galculator	
– × LINE Login QR Code Login Email Address (?)	Q Search →	MC MR MC M	0 MS M M c = v 9 / % 6 * 1/x - X ) X Sign In
Password Login Log me in automatically Run LINE when Windows starts. Sign Up	Evebal experts suggest you look away from your screen every 20 minutes. Time to get outside and feel the breeze.	Restore Pi	ate PDF
LINE User Login Boo	marks History Add-ons Sync Options           Apps         Desktops           © 2013-2014 Citrix Systems, Inc. All rights reserved.         Third Party N		ben 💌
= 2 0 <u>6 9</u> 7 <u>9</u>		/ 🖬 Խ 🖬 🕯	17:02 ● 記 Φ) 目 6/2/2016

**Example: Applications Delivered by XenApp 7.5 Platinum** LINE, Mozilla Firefox, Adobe Reader, and Calculator

#### Example: Desktop Delivered by XenDesktop 7.5 Platinum Windows Server 2008 R2





# Example: Desktop Delivered by XenDesktop 7.5 Platinum Windows 7 Ultimate

#### 3.5.8 Configuring Advanced ICA Connection Settings

The table below provides a description of each setting item for ICA connections. Please refer to this table to configure advanced settings and customize shortcuts on the desktop and Start menu for service access.



#### Settings for the Connection Type of Web Logon

#### D NOTE

- For descriptions of available settings for the connection type of XenDesktop, please refer to "Settings for the Connection Type of XenDesktop" on page 96.
- For descriptions of available settings for the connection type of XenApp, please refer to "Settings for the Connection Type of XenApp" on page 99.
- For descriptions of settings for the connection type of Server Connection, please refer to "Settings for the Connection Type of Server Connection" on page 102.

#### General Sub-tab

Server Settings			
Item		Description	
Session Name	Type in the name for Citr	Type in the name for Citrix ICA sessions.	
	This table only provides descriptions for available settings when <b>Web Log</b> is selected. Four connection types are available:		
	Option	Description	
	Web Logon	Provides application, desktop, and content access services through the interface of a Web browser (Internet Explorer).	
Connection Type	XenDesktop	Provides desktop delivery services.	
	XenApp	Provides application delivery services.	
	Server Connection	Provides full server access services for administrators (XenApp servers only).	
	service access. The have installed othe	<b>n</b> is selected, your mt188W will use a Web browser for ne Internet Explorer is always used no matter if you ler browsers and which browser you have set as default. please refer to section "3.5.7 Accessing Citrix Services"	
Sever Address	Type in the IP address / L are accessible.	Type in the IP address / URL / FQDN of the server through which Citrix services are accessible.	

Common Settings			
Item	Description		
Autostart When Startup	Select whether to open a Citrix ICA session automatically or not when Windows 10 IoT Enterprise starts. If <b>Yes</b> is selected, every time when you log in to the system, the Citrix ICA session will be opened automatically.		
On Application Exit	Select what to do when a Citrix ICA session is ended. Four options are available: <b>Do nothing</b> , <b>Restart Application</b> , <b>Reboot</b> , and <b>Shutdown</b> .		
	Option Description		
	Do nothing	Returns to the Windows 10 IoT Enterprise desktop.	
	Restart Application	Opens a Citrix ICA session again.	
	Reboot	Restarts your thin client.	
	Shutdown	Turns off your thin client.	

# Options sub-tab

Web Settings		
Item	Description	
		menu to select the desired browser window mode. Two : Full Screen and Normal Mode.
	Option	Description
	Full Screen	The browser is opened in the Full Screen mode.
Mode Setting	Normal Mode	The browser is opened in the Normal mode.
	<ul> <li>NOTE: This setting item is available only when Web Logon is selected in the Connection Type field. This type of connection allows you to access services through the interface of the Web browser.</li> <li>NOTE: The used Web browser for service access is always the Internet Explorer no matter which browser you set as the default.</li> </ul>	

#### Settings for the Connection Type of XenDesktop

#### 

- For descriptions of available settings for the connection type of Web Logon, please refer to "Settings for the Connection Type of Web Logon" on page 94.
- For descriptions of available settings for the connection type of XenApp, please refer to "Settings for the Connection Type of XenApp" on page 99.
- For descriptions of settings for the connection type of Server Connection, please refer to "Settings for the Connection Type of Server Connection" on page 102.

#### General Sub-tab

Server Settings				
Item	Description			
Session Name	Type in the name for Citrix ICA sessions.			
	selected.	descriptions for available settings when <b>XenDesktop</b> is		
	Four connection types ar	e available:		
	Option	Description		
Connection Type	Web Logon	Provides application, desktop, and content access services through the interface of a Web browser (Internet Explorer).		
	XenDesktop	Provides desktop delivery services.		
	XenApp	Provides application delivery services.		
	Server Connection	Provides full server access services for administrators (XenApp servers only).		
Sever Address	Type in the IP address / is accessible.	FQDN of the server through which XenDesktop		
Username	Type in the user/account	Type in the user/account name used for authentication.		
Password	Type in the password of	Type in the password of the user account used for authentication.		
Domain	Type in the domain of the server.			
Desktop Group	Type in the desktop group. <b>NOTE:</b> You can use the Search icon $\bigcirc$ in front of the field to discover available desktop groups. For detailed instructions, please refer to "Connection Type: XenDesktop" on page 84.			

Common Settings			
Item	Description		
Autostart When Startup	Select whether to open a Citrix ICA session automatically or not when Windows 10 IoT Enterprise starts. If <b>Yes</b> is selected, every time when you log in to the system, the Citrix ICA session will be opened automatically.		
On Application Exit	Select what to do when a Citrix ICA session is ended. Four options are available: <b>Do nothing</b> , <b>Restart Application</b> , <b>Reboot</b> , and <b>Shutdown</b> .		
	Option Description		
	Do nothing	Returns to the Windows 10 IoT Enterprise desktop.	
	Restart Application	Opens a Citrix ICA session again.	
	Reboot	Restarts your thin client.	
	Shutdown	Turns off your thin client.	

# Options sub-tab

Window Settings				
Item	Description			
	Click the drop-down menu to select the desired color quality for a Citrix ICA session. Three options are available: <b>No preference</b> , <b>Better Speed (16-bit)</b> , and <b>Better Appearance (32-bit)</b> .			
	Option	Description		
Requested Color Quality	No preference	No preference for a specific color quality.		
	Better Speed (16-bit)	The 16-bit color quality is used for better display speed.		
	Better Appearance (32-bit)	The 32-bit color quality is used for better desktop appearance.		
Window Size	<ul> <li>session. Eight options are avail 640 x 480, 800 x 600, 1024</li> <li>NOTE: When the XenDesktop to be able to change the version of the able to change the version of the second second</li></ul>	elect the desired window size of a Citrix ICA lable: <b>Default, Seamless, Full Screen</b> , <b>x 768, 1280 x 1024</b> , and <b>1600 x 1200</b> . toolbar is enabled on the server side, you may not window size. bout how to disable the XenDesktop toolbar, ites at support.citrix.com or www.citrix.com for want to disable the toolbar, you can use the to resize the launched window if needed.		

Device Mapping				
Item	Description			
Mapping Local Drive	-	Click the drop-down menu to enable/disable the mapping of the local drive(s) in a Citrix ICA session. If <b>Yes</b> is selected, the locally attached drive(s) will become available in launched Citrix ICA sessions.		
Mapping Local Serial Ports	Click the drop-down menu to enable/disable the mapping of the local serial device(s) in a Citrix ICA session. If <b>Yes</b> is selected, the locally attached serial device(s) will become available in launched Citrix ICA sessions.			
Mapping local Printers	-	Click the drop-down menu to enable/disable the mapping of the local printer(s) in a Citrix ICA session. If <b>Yes</b> is selected, the locally attached printer(s) will become available in launched Citrix ICA sessions.		
Connection Settings				
Item	Description			
Network Protocol		t the protocol(s) used for connection. Three P/IP + HTTP server location, and on.		
	quality in a Citrix ICA session.	le audio playback or choose the desired sound le audio playback or to configure the quality		
	setting for audio playback in a Citrix ICA session. Four options are available: High - high definition audio, Medium - optimized for speech, Low - for low-speed connections, and Off.			
	Option	Description		
	High - high definition audio	Allows endpoint devices to play a sound file at its native data transfer rate. This is recommended for connections where bandwidth is plentiful and sound quality is important.		
Audio Quality	Medium - optimized for speech	Compresses any sounds sent to endpoint devices to a maximum of 64Kbps, resulting in a moderate decrease in the quality of the sound. This option is suitable for speeches and recommended for most LAN- based connections.		
	Low - for low-speed connections	Compresses any sounds sent to endpoint devices to a maximum of 16Kbps, resulting in a significant decrease in the quality of the sound. This option is suitable for low-bandwidth connections, allowing reasonable audio performance during a low-speed connection.		
	Off	Disables audio playback in opened ICA sessions.		
Encryption		t the desired encryption method. Five options sic, RC5 128 bit (login only), RC5 40 bit,		
Apply Windows key combinations	Click the drop-down menu to select where to apply Windows key combinations. Three options are available: <b>On the local desktop</b> , <b>On the remote desktop</b> , <b>In full screen desktops only</b> .			

#### Settings for the Connection Type of XenApp

#### 

- For descriptions of available settings for the connection type of Web Logon, please refer to "Settings for the Connection Type of Web Logon" on page 94.
- For descriptions of available settings for the connection type of XenDesktop, please refer to "Settings for the Connection Type of XenDesktop" on page 96.
- For descriptions of settings for the connection type of Server Connection, please refer to "Settings for the Connection Type of Server Connection" on page 102.

#### General Sub-tab

	Description	
Type in the name for Ci	Type in the name for Citrix ICA sessions.	
This table only provides selected.	This table only provides descriptions for available settings when <b>XenApp</b> is selected.	
Four connection types a	are available:	
Option	Description	
Web Logon	Provides application, desktop, and content access services through the interface of a Web browser (Internet Explorer).	
XenDesktop	Provides desktop delivery services.	
XenApp	Provides application delivery services.	
Server Connection	Provides full server access services for administrators (XenApp servers only).	
Type in the IP address ,	/ FQDN of the server through which XenApp is accessible.	
Type in the user/accour	Type in the user/account name used for authentication.	
Type in the password of	Type in the password of the user account used for authentication.	
Type in the domain of t	he server.	
<b>NOTE:</b> Type in the full computer/server name if your XenApp server doesn' belong to any domain.		
Type in the application name.		
<b>NOTE:</b> You can use the Search icon $\bigcirc$ in front of the field to discover availab applications. For detailed instructions, please refer to "Connection Type: XenApp" on page 86.		
	This table only provides selected.         Four connection types a         Option         Web Logon         XenDesktop         XenApp         Server Connection         Type in the IP address /         Type in the user/accour         Type in the domain of t         NOTE: Type in the full of belong to any d         Type in the application	

Common Settings			
Item	Description		
Autostart When Startup	10 IoT Enterprise star If <b>Yes</b> is selected, eve	Select whether to open a Citrix ICA session automatically or not when Windows 10 IoT Enterprise starts. If <b>Yes</b> is selected, every time when you log in to the system, the Citrix ICA session will be opened automatically.	
On Application Exit		Select what to do when a Citrix ICA session is ended. Four options are available: <b>Do nothing</b> , <b>Restart Application</b> , <b>Reboot</b> , and <b>Shutdown</b> .	
	Option	Description	
	Do nothing	Returns to the Windows 10 IoT Enterprise desktop.	
	Restart Application	Opens a Citrix ICA session again.	
	Reboot	Restarts your thin client.	
	Shutdown	Turns off your thin client.	

## **Options** Sub-tab

Window Settings		
Item	Description	
	Click the drop-down menu to select the desired color quality for a Citrix ICA session. Three options are available: <b>No preference</b> , <b>Better Speed (16-bit)</b> , and <b>Better Appearance (32-bit)</b> .	
	Option	Description
Requested Color Quality	No preference	No preference for a specific color quality.
,	Better Speed (16-bit)	The 16-bit color quality is used for better display speed.
	Better Appearance (32-bit)	The 32-bit color quality is used for better desktop appearance.
Window Size	Click the drop-down menu to select the desired window size of a Citrix ICA session. Eight options are available: <b>Default, Seamless, Full Screen</b> , <b>640 x 480, 800 x 600, 1024 x 768, 1280 x 1024</b> , and <b>1600 x 1200</b> .	
Device Mapping		
Item	Description	
Mapping Local Drive	Click the drop-down menu to enable/disable the mapping of the local drive(s) in a Citrix ICA session. If <b>Yes</b> is selected, the locally attached drive(s) will become available in launched Citrix ICA sessions through this connection.	
Mapping Local Serial Ports	Click the drop-down menu to enable/disable the mapping of the local serial device(s) in a Citrix ICA session. If Yes is selected, the locally attached serial device(s) will become available in launched Citrix ICA sessions.	

Mapping local Printers	Click the drop-down menu to enable/disable the mapping of the local printer(s) in a Citrix ICA session. If <b>Yes</b> is selected, the locally attached printer(s) will become available in launched Citrix ICA sessions through this connection.	
Connection Settings		
Item	Description	
Network Protocol	Click the drop-down menu to select the protocol(s) used for connection. Three options are available: <b>TCP/IP</b> , <b>TCP/IP</b> + <b>HTTP server location</b> , and <b>SSL/TLS + HTTPS server location</b> .	
Click the drop-down menu to disable audio playback or choose the quality in a Citrix ICA session. Click the drop-down menu to disable audio playback or to configure setting for audio playback in a Citrix ICA session. Four options are <b>High - high definition audio, Medium - optimized for speech,</b> <b>low-speed connections,</b> and <b>Off</b> .		ble audio playback or to configure the quality ix ICA session. Four options are available: adium - optimized for speech, Low - for
	Option	Description
Audio Quality	High - high definition audio	Allows endpoint devices to play a sound file at its native data transfer rate. This is recommended for connections where bandwidth is plentiful and sound quality is important.
	Medium - optimized for speech	Compresses any sounds sent to endpoint devices to a maximum of 64Kbps, resulting in a moderate decrease in the quality of the sound. This option is suitable for speeches and recommended for most LAN- based connections.
	Low - for low-speed connections	Compresses any sounds sent to endpoint devices to a maximum of 16Kbps, resulting in a significant decrease in the quality of the sound. This option is suitable for low-bandwidth connections, allowing reasonable audio performance during a low-speed connection.
	Off	Disables audio playback in opened ICA sessions.
Encryption	Click the drop-down menu to select the desired encryption method. Five options are available: Not configured, Basic, RC5 128 bit (login only), RC5 40 bit, RC5 56 bit, RC5 128 bit.	
Apply Windows key combinations	Click the drop-down menu to select where to apply Windows key combinations. Three options are available: <b>On the local desktop</b> , <b>On the remote desktop</b> , <b>In full screen desktops only</b> .	

#### Settings for the Connection Type of Server Connection

#### 

- For descriptions of available settings for the connection type of Web Logon, please refer to "Settings for the Connection Type of Web Logon" on page 94.
- For descriptions of available settings for the connection type of XenDesktop, please refer to "Settings for the Connection Type of XenDesktop" on page 96.
- For descriptions of settings for the connection type of XenApp, please refer to "Settings for the Connection Type of XenApp" on page 99.

#### General Sub-tab

Server Settings			
Item	Description		
Session Name	Type in the name for Citr	Type in the name for Citrix ICA sessions.	
	Server Connection is se	This table only provides descriptions for available settings when Server Connection is selected. Four connection types are available:	
	Option	Description	
Connection Type	Web Logon	Provides application, desktop, and content access services through the interface of a Web browser (Internet Explorer).	
	XenDesktop	Provides desktop delivery services.	
	XenApp	Provides application delivery services.	
	Server Connection	Provides full server access services for administrators (XenApp servers only).	
Sever Address	Type in the IP address / URL / FQDN of the XenApp server.         NOTE: Server Connection only supports connections to XenApp servers.		
Username	Type in the user/account name used for authentication.		
Password	Type in the password of the user account used for authentication.		
	Type in the domain of the server.		
Domain	<b>NOTE:</b> Type in the full computer/server name if the server doesn't belong to an domain.		

Common Settings		
Item	Description	
Autostart When Startup	Select whether to open a Citrix ICA session automatically or not when Windows 10 IoT Enterprise starts. If <b>Yes</b> is selected, every time when you log in to the system, the Citrix ICA session will be opened automatically.	
On Application Exit	Select what to do when a Citrix ICA session is ended. Four options are available: <b>Do nothing</b> , <b>Restart Application</b> , <b>Reboot</b> , and <b>Shutdown</b> .	
	Option Description	
	Do nothing	Returns to the Windows 10 IoT Enterprise desktop.
	Restart Application	Opens a Citrix ICA session again.
	Reboot	Restarts your thin client.
	Shutdown	Turns off your thin client.

## **Options** Sub-tab

Window Settings		
Item	Description	
	Click the drop-down menu to select the desired color quality for a Citrix ICA session. Three options are available: <b>No preference</b> , <b>Better Speed (16-bit)</b> , and <b>Better Appearance (32-bit)</b> .	
	Option	Description
Requested Color Quality	No preference	No preference in a specific color quality.
	Better Speed (16-bit)	The 16-bit color quality is used for better display speed.
	Better Appearance (32-bit)	The 32-bit color quality is used for better desktop appearance.
Window Size	Click the drop-down menu to select the desired window size of a Citrix ICA session. Eight options are available: <b>Default, Seamless, Full Screen</b> , <b>640 x 480, 800 x 600, 1024 x 768, 1280 x 1024</b> , and <b>1600 x 1200</b> .	
Device Mapping		
Item	Description	
Mapping Local Drive	Click the drop-down menu to enable/disable the mapping of the local drive(s) in a Citrix ICA session. If <b>Yes</b> is selected, the locally attached drive(s) will become available in launched Citrix ICA sessions through this connection.	
Mapping Local Serial Ports	Click the drop-down menu to enable/disable the mapping of the local serial device(s) in a Citrix ICA session. If <b>Yes</b> is selected, the locally attached serial device(s) will become available in launched Citrix ICA sessions.	

E.

Mapping local Printers	Click the drop-down menu to enable/disable the mapping of the local printer(s) in a Citrix ICA session. If <b>Yes</b> is selected, the locally attached printer(s) will become available in launched Citrix ICA sessions through this connection.		
Connection Settings			
Item	Description		
Network Protocol	Click the drop-down menu to select the protocol(s) used for connection. Three options are available: <b>TCP/IP</b> , <b>TCP/IP</b> + <b>HTTP server location</b> , and <b>SSL/TLS + HTTPS server location</b> .		
	Click the drop-down menu to disable audio playback or choose the desired sound quality in a Citrix ICA session. Click the drop-down menu to disable audio playback or to configure the quality setting for audio playback in a Citrix ICA session. Four options are available: <b>High - high definition audio, Medium - optimized for speech, Low - for low-speed connections</b> , and <b>Off</b> .		
	Option	Description	
	High - high definition audio	Allows endpoint devices to play a sound file at its native data transfer rate. This is recommended for connections where bandwidth is plentiful and sound quality is important.	
Audio Quality	Medium - optimized for speech	Compresses any sounds sent to endpoint devices to a maximum of 64Kbps, resulting in a moderate decrease in the quality of the sound. This option is suitable for speeches and recommended for most LAN- based connections.	
	Low - for low-speed connections	Compresses any sounds sent to endpoint devices to a maximum of 16Kbps, resulting in a significant decrease in the quality of the sound. This option is suitable for low-bandwidth connections, allowing reasonable audio performance during a low-speed connection.	
	Off	Disables audio playback in opened ICA sessions.	
Encryption	Click the drop-down menu to select the desired encryption method. Five options are available: Not configured, Basic, RC5 128 bit (login only), RC5 40 bit, RC5 56 bit, RC5 128 bit.		
Apply Windows key combinations	Click the drop-down menu to select where to apply Windows key combinations. Three options are available: <b>On the local desktop</b> , <b>On the remote desktop</b> , <b>In full screen desktops only</b> .		


#### 3.5.9 Configuring Basic VMware View Connection Settings


The **VMware View** setting enables you to configure View connection settings for VMware View or Horizon View desktop services and create shortcuts on the desktop and Start menu for service access. You can access on-demand desktop services for work simply through these shortcuts.

NOTE • For more information on VMware desktop virtualization solutions, please visit VMware website at www.vmware.com.
<ul> <li>NOTE</li> <li>You can also access VMware View or Horizon View services through the standard desktop shortcut VMware Horizon View Client. For detailed instructions on how to access services via the standard desktop shortcut, please refer to chapter 2 "Getting Started" on page 11 or the Quick Start Guide for mt188W.</li> <li>The following sections will guide you through the steps of creating your own service access shortcuts on the desktop.</li> </ul>

To quickly configure VMware View connection settings, please do the following:

- 1. On Atrust Client Setup, click **Applications** > **VMware View**.
- 2. The View Connection list appears in the Configuration area.





3. Click **Add** on the top of the View Connection list to add a new entry of View connection.

🧶 Atrust Client Setup		- 0	×
Atrust	Applications User Interface Devices System		
Navigator > Remote Desktop > Citrix ICA > VMware View > Web Browser	General       Options         Server Settings         Session Name:         Connection Server :         Port:         Image: Display Protocol:         Common Settings         Autostart When Startup:         On Application Exit:         Save       Cancel	Image: Second	×

4. Type in the desired session name, and then click **Save** to confirm.

NOTE
<ul> <li>This is the only required field for the creation of a service access shortcut on the desktop. Other data can be provided during the period of service access. Depending on your needs, you might choose to type in more other data.</li> </ul>

5. The new entry is added to the View Connection list and the access shortcut is created automatically on the desktop.


#### 3.5.10 Accessing VMware View or Horizon View Services

To access VMware View or Horizon View services, please do the following:


- 1. Double click the created (customized) access shortcut on the desktop.
- 2. A window appears allowing you to add the name or IP address of the View Connection Server.
- 3. Double-click Add Server icon or click New Server in the top-left corner.

H New Server	Whware Horizon Client     New Server	
	Add Server	

4. A window appears prompting for the name or IP address of the View Connection Server. Enter the required information, and then click **Connect**.



5. A window may appear with a certificate message about the remote server. Consult your IT administrator for details and ensure the connection is secure *first*. To bypass, click **Continue**.




6. A window may appear with a Welcome message. Click **OK** to continue.

7. Provide your user name and password on the opened window, and then click Login.

vmware Ho	5112011		1
Server:	https://vVCS	S.VHV.poc	
User name	:		
Password:			
Domain:	VHV	~	

8. A window appears with available desktops or applications for your credentials. Double-click to select the desired desktop or application.



9. The desktop or application will be displayed on the screen.

## 3.5.11 Configuring Advanced View Connection Settings

The table below provides a description of each setting item for View connections. Please refer to this table to configure advanced settings and customize shortcuts on the desktop and Start menu for service access.

#### General Sub-tab

Server Settings				
Item		Description		
Session Name	Type in the name for VMware	Type in the name for VMware View or Horizon View sessions.		
	Type in the computer name or IP address of the View Connection Server.			
Connection Server	<b>NOTE:</b> For more information on View Connection Sever, please visit VMware website at www.vmware.com.			
Port	Type in the port number used to communicate with the View Connection Server. To use the default value, simply leave it blank.			
Use secure connection (SSL)	Check/Uncheck to enable/dis	Check/Uncheck to enable/disable secure connection.		
	Click to select whether to verify the identity of the remote server and whet to connect to an untrusted server. Three options are available: <b>Do not ve</b> <b>server identity certificates</b> , <b>Warn before connecting to untrusted</b> <b>servers</b> , and <b>Never connect to untrusted servers</b> .			
	Option	Description		
Certificate checking mode	Do not verify server identity certificates	Do not verify the identity of the remote server and connect to it anyway.		
	Warn before connecting to untrusted servers	Warns and allows users to choose whether to connect or not.		
	Never connect to untrusted servers	Disallows untrusted connections.		
Login Settings				
Item	Description			
Log in as current user	Check to log in to VMware View or Horizon View services with the current user credentials. When checked, the User Name, Password, and Domain Name fields will be grayed out.			
User Name	Type in the user name for au	thentication.		
Password	Type in the password for auth	nentication.		
Domain Name	Type in the domain name of t	the View Connection Sever.		
	Type in the desktop name. O	r, leave it blank for users to select one.		
Desktop Name	<b>NOTE:</b> If <b>Manual</b> is selected for the Display Protocol field below, this field will be grayed out.			

		Click the drop-down menu to select the display protocol. Three options are available: <b>Manual</b> , <b>Microsoft RDP</b> , and <b>PCoIP</b> .		
	Option	Description		
Display Protocol	Manual	Manually select the desired display protocol.		
	Microsoft RDP	Use Microsoft RDP as the display protocol.		
	PCoIP	Use VMware PCoIP as the display protocol.		
Common Settings				
Item	Description	Description		
Autostart When Startup	not when Window If <b>Yes</b> is selected,	Select whether to open a VMware View or Horizon View session automatically or not when Windows 10 IoT Enterprise starts. If <b>Yes</b> is selected, when you log in to the system, the VMware View or Horizon View session will be opened automatically.		
On Application Exit		Select what to do when a VMware View or Horizon View session is ended. Four options are available: <b>Do Nothing</b> , <b>Restart Application</b> , <b>Reboot</b> , and <b>Shutdown</b> .		
	Option	Option Description		
	Do Nothing	Returns to the Windows 10 IoT Enterprise desktop.		
	Restart Applicati	on Opens a View or Horizon View session again.		
	Reboot	Restarts your thin client.		
	Shutdown	Shutdown Turns off your thin client.		

## **Options** Sub-tab

Window Settings			
Item	Description		
	Click the drop-down menu to select the desired display size of a View desktop. Five options are available: <b>Full Screen</b> , <b>Multi Monitor</b> , <b>Large Window</b> , and <b>Small Window</b> .		
	Option	Description	
Display	Full Screen	Opens the selected View desktop in full screen.	
	Multi Monitor	Opens the selected View desktop in multiple displays.	
	Large Window	Opens the selected View desktop in a large window.	
	Small Window	Opens the selected View desktop in a small window.	

#### 3.5.12 Configuring Web Browser Settings

The **Web Browser** setting item allows you to configure browser session settings and create shortcuts on the desktop or Start menu for browser sessions.

#### **Configuring General Browser Session Settings**

To configure general browser session settings, please do the following:

1. On Atrust Client Setup, click **Applications** > **Web Browser** > **Global Setting**.

Atrust Client Setup			_	×
Atrust	Applications User Interface Devices System	em		
Navigator > Remote Desktop > Citrix ICA > VMware View > Web Browser Global Setting	Global Global Settings Home Page Settings Home Page: Use a proxy server for your LAN HTTP Proxy Server: HTTP Proxy For: (e.g.: localhost; 127.0.0.1)	http://www.atrustcorp.com/		
	Automatic Configuration  Automatic Configuration  Cancel  Automatic Configuration script  Cancel			

2. Refer to the table below to set up home page, proxy, and automatic configuration settings, and then click **Save** to apply.

Basic Settings		
Item	Description	
Home Page	Type in the URL of a Web page for quick access via the Home button.	
Proxy Settings		
Item	Description	
Use a proxy server for your LAN	Check to use a proxy server in your local area network.	
HTTP Proxy Server	Type in the IP address of the proxy server.	
HTTP Proxy Port	Type in the communication port of the proxy server.	
No Proxy For	Type in the IP address(es) to bypass the proxy server.	

Automatic Configuration		
Item	Description	
Automatically detect settings	Check to automatically detect browser settings.	
Use automatic configuration script	Check to allow automatic configuration and indicate the IP address where a configuration file is located.	
Address	Type in the IP address when <b>Use automatic configuration script</b> is selected.	

## **Configuring Specific Browser Session Settings**

To configure specific browser session settings and create shortcuts on the desktop and Start menu, please do the following:

TIP
You can use this feature to create a desktop shortcut for a specific web page, for example, your intranet home page.

- 1. On Atrust Client Setup, click **Applications** > **Web Browser**.
- 2. The Browser Session list appears in the Configuration area.

Applications     User Interface     Devices     System       Navigator     + Add     - Delete       * Session Name	_
Navigator Session Name	
Remote Desktop     Citrix ICA	
VMware View	
Web Browser     Global Setting	
ologi Scany	
©	



• If you haven't create any entry, the Browser Session list will be empty.

- 3. Click Add on the top of the Browser Session list.
- 4. On **General** sub-tab, type in the desired session name, the URL of the initial web page, and select other settings if needed (refer to the table below for descriptions).

Ø Atrust Client Setup			– 🗆 X
Atrust	Applications User Interface Devices System		
Navigator P. Remote Desktop P. Citrix ICA P. VMware View Veb Browser Global Setting	Applications     User Interface     Devices     System       General     Basic Settings     Session Name:     Initial Page:       Initial Page:     Common Settings       Autostart When Startup:     On Application Exit:	= No Do Nothing	
	Save Cancel		

Common Settings			
Item	Description	Description	
Autostart When Startup	IoT Enterprise starts. If <b>Yes</b> is selected, eve	Select whether to open a browser session automatically or not when Windows 10 IoT Enterprise starts. If <b>Yes</b> is selected, every time when you log in to the system, the browser session will be opened automatically.	
On Application Exit	Select what to do when a browser session is ended. Four options are available: <b>Do Nothing, Restart Application, Reboot</b> , and <b>Shutdown</b> .		
	Option Description		
	Do Nothing	Returns to the Windows 10 IoT Enterprise desktop.	
	Restart Application	Opens a browser session again.	
	Reboot Restarts your thin client.		
	Shutdown Turns off your thin client.		

5. Click **Save** to confirm. The access shortcut will be created automatically on the desktop.



This chapter provides instructions for the maintenance of your mt188W thin clients.

#### A.1 Resetting Your mt188W

How to reset your mt188W to the unmanaged state and its settings 117 under Atrust Client Setup to factory defaults

#### A.2 Updating Firmware for Your mt188W

Four ways to update firmware for your mt188W 118

# A.1 Resetting Your mt188W

Reset Mode enables you to restore settings under Atrust Client Setup to the factory defaults. Additionally, it also releases a managed mt188W from the management of Atrust Device Manager, a management console developed by Atrust for remote and mass client management.

You can perform **Reset Mode** locally through Atrust Thin Client Menu.

ΙΟΤΕ
<ul> <li>You can also release a managed mt188W <i>remotely</i> from Atrust Device Manager.</li> <li>For details, please refer to the User's Manual for Atrust Device Manager.</li> </ul>

To reset your mt188W, please do the following:

- 1. Restart your mt188W.
- 2. During the POST (Power-On Self-Test) period, press **Esc** on the keyboard to enter Atrust Thin Client Menu.

Atrust Thin Client Menu	
Normal boot	
Reset Mode	
Firmware Update	
Reboot	-
Shutdown	
	<u>.</u>



## NOTE

Five options are available on Atrust Thin Client Menu: **Normal boot**, **Reset Mode**, **Firmware Update**, **Reboot**, and **Shutdown**. See the table below for the description of each option:

Menu Option	Description
Normal boot	Powers up your mt188W as the normal startup procedure.
Reset Mode	Resets Atrust Client Setup settings and remote management status for your mt188W.
Firmware Update	Updates firmware for your mt188W through the network.
Reboot	Restarts your mt188W.
Shutdown	Powers off your mt188W.

- 3. Use arrow keys to select Reset Mode, and then press Enter to continue.
- 4. A message appears prompting you for confirmation. Type **y** to confirm.
- 5. Upon completion, press Enter to restart.

# A.2 Updating Firmware for Your mt188W

Four ways are available to update firmware for your mt188W:

Method	Description
Atrust Thin Client Menu	Downloads firmware from a remote computer and updates firmware for your thin client.
USB Flash Drive	Updates firmware with a USB flash drive created by Recovery USB Disk Creator.
Atrust Client Setup	Initiates firmware update locally on the thin client with the help of Atrust Client Setup.
Atrust Device Manger	Initiates firmware update remotely on the remote computer with Atrust Device Manager.

## **Using Atrust Thin Client Menu**

To update firmware using Atrust Thin Client Menu, please do the following:

- 1. Connect your thin client to the network, and then restart it.
- 2. During the POST (Power-On Self-Test) period, press Esc on the keyboard to enter Atrust Thin Client Menu.
- 3. Select **Firmware Update** and then follow the on-screen instructions to complete the task.

#### 

- You need to specify the IP address of the firmware server over the network. A firmware server is the server where Atrust Device Manager is installed and client firmware files are imported through Atrust Device Manager.
- For more information about Atrust Device Manager, please refer to the User's Manual for Atrust Device Manager.

## Using a USB Flash Drive

To update firmware using a USB flash drive created by Recovery USB Disk Creator, please do the following:



• For instructions on how to create a USB flash drive using Recovery USB Disk Creator, please refer to the Quick Guide for USB Creator.

- 1. Plug the USB flash drive, and then restart your thin client.
- 2. During the POST period, press F7 to enter the Boot Device menu.
- 3. Select the USB flash drive on that menu to enter Atrust Thin Client Recovery System screen.
- 4. Follow the on-screen instructions to complete the task.

## **Using Atrust Client Setup**

To update firmware using Atrust Client Setup, please refer to section "3.2.5 Updating Firmware from the Management Computer" on page 34.

## Using Atrust Device Manager

To update firmware using Atrust Device Manager, please refer to the User's Manual for Atrust Device Manager.

# Specifications

Atrust mt188W	mobile thin client
---------------	--------------------

Processor	Intel® Celeron® N2807, Dual-core, 1.58 GHz		
System Memory	4 GB DDR3 (Optional: 8 GB)		
Flash Memory	16 GB M.2 SSD (Optional: 32 / 64 / 128 GB)		
Display	Type: 15.6" 16:9 Anti-Glare, HD 1366 x 768 (Optional: FHD 1920 x 1080)		
Keyboard / Touchpad	Keyboard: full layout including the numeric keypad Touchpad: 2-button Glide pad		
Sound	Built-in speakers		
I/O interfaces	Left side:Right side:Display and base:1 x RJ-451 x DC IN1 x Power button2 x Built-in microphone3 x USB 3.01 x mini DisplayPort1 x Webcam (optional)1 x Microphone port1 x HDMI2 x Built-in speaker1 x Headphone port1 x USB Type-C		
Networking	10/100/1000 Mb Ethernet Wi-Fi 802.11 ac/a/b/g/n (M.2 interface) Bluetooth 4.2		
AC Adapter	INPUT: 100-240 V, 50-60 Hz OUTPUT: 19 V, 3.42 A, 65 W		
Battery	Built-in Rechargeable battery 5700 mAh, 64.98 Wh		
Operating system	Windows 10 IoT 2016 Enterprise		
Supported Protocols	Microsoft RDP with RemoteFX / Citrix ICA with HDX / VMware PCoIP		
Management	Atrust Client Setup / Atrust Device Manager		
Security	Kensington security slot		
Dimensions	(W)390 x (D)266 x (H)20.05 mm		
Weight	1.69 kg (approx.)		
Environment	Operating Temperature:5° C ~ 35° CNon-operating Temperature:-30° C ~ 60° COperating Humidity (Rh):10% ~ 90% (non-condensing)Non-operating Humidity (Rh):5% ~ 95%		

UM-mt188W10IoTEnt-EN-17121311

